



Zincolet - BSN (L) - NS

Composition : Mixture of light coloured, aliphatic hydrocarbon liquid resins with natural esters. Specification : Colour Light collowish

| Specification | : Colour | : | Light yellowish |
|---------------|-----------------|---|-----------------|
| - | Appearance | : | Viscous Liquid |
| | Ash content (%) | : | 0.5 Max. |

Uses and Benefits

- Zincolet BSN (L) NS is compatible used in Technical goods based on natural or synthetic rubber (especially NBR or CR), e.g. hose and seals for vehicles, aircraft and machinery in general; moldings and extrudates; roll covers; conveyor and transmission belting; cable sheathing, proofing
- **Dosages** : In NR, NBR, CR, IIR 2 to 20 phr, SBR 5-15 phr

Application

- Zincolet BSN (L) NS increases the building tack of mixes based on synthetic rubber and improves processability.
- It is an excellent tackifying and plasticizing material for NR, NBR, CR, IIR, and NBR/PVC blends.
- Zincolet BSN (L) NS is an ideal substitute for imported resins such as Coumarone Indene.
- It is an excellent tackifier for EPDM based formulations.

At 5 to 20 percent loading, Zincolet – BSN (L) - NS imports the following properties to the vulcanisate:

- a) Excellent wetting properties at milling temperature.
- b) It easily incorporates and disperses homogenously in all rubber compounds.
- c) Extensive tack to the polymer, which because of resins saturated structure, is not rapidly degraded due to the oxidation.
- d) Good electrical properties.
- e) Improvement in green strength.
- f) Good oxidation resistance due to its saturated structure.
- g) Good ultra-violate resistance.

| Packing | : | 30 kg or 200 kg PVC Drum. |
|-------------------|---|--|
| Storage stability | : | Up to 2 Years In normal storage conditions. |
| Handling | : | Consult material safety data sheet (MSDS) for additional handling information for Zincolet-BSN (L) - NS. |

PUKHRAJ ADDITIVES LLP

<u>An ISO 9001:2008 Certified Company</u> 5B, 5th Floor, Diamond House, Plot No. 515, Behind National College, TPS III, 35th Road, Bandra (W), Mumbai, Maharashtra - 400 050 (INDIA).

Tel: +91-9833538089/+91-22-26494911/26494912/26494913

Email: info@pukhrajzincolet.com Visit us at: www.pukhrajzincolet.com

Information provided herein is based upon tests believed to be reliable. We have no control over the manner in which others may use this information, it does not guarantee the results to be obtained. The company assumes no obligation or liability for the information in this document. No warranties are given, all implied warranties of merchantability or fitness for a particular purpose are expressly excluded.