


TG -COLLET

TG75 Series Collets – Metric



Provides tremendous Grip and accuracy for all drilling applications. Manufactured to DIN 6499 Class 2 accuracy. Grips on back taper and Margin of drill for max feed rate and more accurate hole. Max Collapse 0.4mm
Order Example – 75TG030M


Bonded collets available on request. Rubber filled slots seal collets for coolant fed tool application. Suitable for Coolant Pressure up to 100bar. Fits all standard TG-style collet chucks. Max collapse 0.13mm

Order Example – 75TGC060M

Collet Capacity Max - Min	75TG Standard D = 26.98 L= 46.84 Catalogue No	75TGC Coolant - Bonded D = 26.98 D = 46.84 Catalogue No
3.00	75TG030M	
3.50	75TG035M	
4.00	75TG040M	
4.50	75TG045M	
5.00	75TG050M	
5.50	75TG055M	
6.00	75TG060M	75TGC060M
6.50	75TG065M	
7.00	75TG070M	
7.50	75TG075M	
8.00	75TG080M	75TGC080M
8.50	75TG085M	
9.00	75TG090M	
9.50	75TG095M	
10.00	75TG100M	75TGC100M
10.50	75TG105M	
11.00	75TG110M	
11.50	75TG115M	
12.00	75TG120M	75TGC120M
12.50	75TG125M	
13.00	75TG130M	
13.50	75TG135M	
14.00	75TG140M	75TGC140M
14.50	75TG145M	
15.00	75TG150M	
15.50	75TG155M	
16.00	75TG160M	75TGC160M
16.50	75TG165M	
17.00	75TG170M	
17.50	75TG175M	
18.00	75TG180M	75TGC180M
18.50	75TG185M	
19.00	75TG190M	
19.50	75TG195M	
20.00	75TG200M	75TGC200M

TG -COLLET

TG75 Series Collets – Inch



- Provides tremendous Grip and accuracy for all drilling applications. Manufactured to DIN 6499 Class 2 accuracy. Grips on back taper and Margin max feed rate and more accurate hole. Max Collapse 0.016"
- Order Example – 75TG0062

Bonded collets available on request
 Rubber filled slots seal collets for coolant fed tool application. Suitable for Coolant Pressure up to of drill for 1500psi. Fits all standard TG-style collet chucks.
 Max collapse 0.005"
 Order Example – 75TGC0250

Collet Capacity	Standard D = 0.768 L = 1.438	Bonded - Bonded D = 0.768 D = 1.438
	Catalogue No	Catalogue No
1/16	75TG0062	
5/64	75TG0078	
3/32	75TG0094	
7/64	75TG0109	
1/8	75TG0125	
9/64	75TG0141	
5/32	75TG0156	
11/64	75TG0172	
3/16	75TG0188	
13/64	75TG0203	
7/32	75TG0219	
15/64	75TG0234	
1/4	75TG0250	75TGC0250
17/64	75TG0266	75TGC0266
9/32	75TG0281	75TGC0281
19/64	75TG0297	75TGC0297
5/16	75TG0312	75TGC0312
21/64	75TG0328	75TGC0328
11/32	75TG0344	75TGC0344
23/64	75TG0359	75TGC0359
3/8	75TG0375	75TGC0375
25/64	75TG0391	75TGC0391
13/32	75TG0406	75TGC0406
27/64	75TG0422	75TGC0422
7/16	75TG0438	75TGC0438
29/64	75TG0453	75TGC0453
15/32	75TG0469	75TGC0469
31/64	75TG0484	75TGC0484


TG -COLLET

TG75 Series Collets – Inch

Collet Capacity Max - Min	75TG Standard D = 1.062 L= 1.844 Catalogue No	75TGC Coolant - Bonded D = 1.062 L= 1.844 Catalogue No
1/2	75TG0500	75TGC0500
33/64	75TG0516	75TGC0516
17/32	75TG0531	75TGC0531
35/64	75TG0547	75TGC0547
9/16	75TG0562	75TGC0562
37/64	75TG0578	75TGC0578
19/32	75TG0594	75TGC0594
39/64	75TG0609	75TGC0609
5/8	75TG0625	75TGC0625
41/64	75TG0641	75TGC0641
21/32	75TG0656	75TGC0656
43/64	75TG0672	75TGC0672
11/16	75TG0688	75TGC0688
45/64	75TG0703	75TGC0703
23/32	75TG0719	75TGC0719
47/64	75TG0734	75TGC0734
3/4	75TG0750	75TGC0750

TG -COLLET

TG100 Series Collets – Metric



TG Collet

- Provides tremendous Grip and accuracy for all drilling applications. Manufactured to DIN 6499 Class 2 accuracy. Grips on back taper and Margin of drill for max feed rate and more accurate hole. Max Collapse 0.4mm
- Order Example – 100TG030M

Bonded collets available on request.
Rubber filled slots seal collets for coolant fed tool application. Suitable for Coolant Pressure up to 100bar.
Fits all standard TG-style collet chucks.
Max collapse 0.13mm

Order Example – 100TGC060M

Collet Capacity Max - Min	100TG Standard D = 35.03 L= 60.33 Catalogue No	100TGC Coolant - Bonded D = 35.03 D = 60.33 Catalogue No
3.00	100TG030M	
3.50	100TG035M	
4.00	100TG040M	
4.50	100TG045M	
5.00	100TG050M	
5.50	100TG055M	
6.00	100TG060M	100TGC060M
6.50	100TG065M	
7.00	100TG070M	
7.50	100TG075M	
8.00	100TG080M	100TGC080M
8.50	100TG085M	
9.00	100TG090M	
9.50	100TG095M	
10.00	100TG100M	100TGC100M
10.50	100TG105M	
11.00	100TG110M	
11.50	100TG115M	
12.00	100TG120M	100TGC120M
12.50	100TG125M	
13.00	100TG130M	
13.50	100TG135M	
14.00	100TG140M	100TGC140M
14.50	100TG145M	
15.00	100TG150M	
15.50	100TG155M	


TG -COLLET

TG100 Series Collets – Metric

Collet Capacity Max - Min	100TG Standard D = 35.03 L= 60.33 Catalogue No	100TGC Coolant - Bonded D = 35.03 D = 60.33 Catalogue No
16.00	100TG160M	100TGC160M
16.50	100TG165M	
17.00	100TG170M	
17.50	100TG175M	
18.00	100TG180M	100TGC180M
18.50	100TG185M	
19.00	100TG190M	
19.50	100TG195M	
20.00	100TG200M	100TGC200M
20.50	100TG205M	
21.00	100TG210M	
21.50	100TG215M	
22.00	100TG220M	
22.50	100TG225M	
23.00	100TG230M	
23.50	100TG235M	
24.00	100TG240M	
24.50	100TG245M	
25.00	100TG250M	100TGC250M
25.50	100TG255M	

TG -COLLET

TG100 Series Collets – Inch



TG Collet

- Provides tremendous Grip and accuracy for all drilling applications. Manufactured to DIN 6499 Class 2 accuracy. Grips on back taper and Margin of drill for max feed rate and more accurate hole. Max Collapse 0.016"
- Order Example – 100TG0094

Bonded collets available on request.
Rubber filled slots seal collets for coolant fed tool application. Suitable for Coolant Pressure up to 1500psi.
Fits all standard TG-style collet chucks.

Max collapse 0.005"

Order Example – 100TGC0250

Collet Capacity Max - Min	100TG Standard D = 1.379 L = 2.375 Catalogue No	100TGC Coolant - Bonded D = 1.379 D = 2.375 Catalogue No
3/32	100TG0094	
7/64	100TG0109	
1/8	100TG0125	
9/64	100TG0141	
5/32	100TG0156	
11/64	100TG0172	
3/16	100TG0188	
13/64	100TG0203	
7/32	100TG0219	
15/64	100TG0234	
1/4	100TG0250	100TGC0250
17/64	100TG0266	100TGC0266
9/32	100TG0281	100TGC0281
19/64	100TG0297	100TGC0297
5/16	100TG0312	100TGC0312
21/64	100TG0328	100TGC0328
11/32	100TG0344	100TGC0344
23/64	100TG0359	100TGC0359
3/8	100TG0375	100TGC0375
25/64	100TG0391	100TGC0391
13/32	100TG0406	100TGC0406
27/64	100TG0422	100TGC0422
7/16	100TG0438	100TGC0438
29/64	100TG0453	100TGC0453
15/32	100TG0469	100TGC0469
31/64	100TG0484	100TGC0484


TG -COLLET

TG100 Series Collets – Inch

Collet Capacity Max - Min	100TG Standard D = 1.379 L= 2.375 Catalogue No	100TGC Coolant - Bonded D = 1.379 D = 2.375 Catalogue No
½	100TG0500	100TGC0500
33/64	100TG0516	100TGC0516
17/32	100TG0531	100TGC0531
35/64	100TG0547	100TGC0547
9/16	100TG0562	100TGC0562
37/64	100TG0578	100TGC0578
19/32	100TG0594	100TGC0594
39/64	100TG0609	100TGC0609
5/8	100TG0625	100TGC0625
41/64	100TG0641	100TGC0641
21/32	100TG0656	100TGC0656
43/64	100TG0672	100TGC0672
11/16	100TG0688	100TGC0688
45/64	100TG0703	100TGC0703
23/32	100TG0719	100TGC0719
47/64	100TG0734	100TGC0734
3/4	100TG0750	100TGC0750
49/64	100TG0766	100TGC0766
25/32	100TG0781	100TGC0781
51/64	100TG0797	100TGC0797
13/16	100TG0812	100TGC0812
53/64	100TG0828	100TGC0828
27/32	100TG0844	100TGC0844
55/64	100TG0859	100TGC0859
7/8	100TG0875	100TGC0875
57/64	100TG0891	100TGC0891
29/32	100TG0906	100TGC0906
59/64	100TG0922	100TGC0922
15/16	100TG0938	100TGC0938
61/64	100TG0953	100TGC0953
31/32	100TG0969	100TGC0969
63/64	100TG0984	100TGC0984
1	100TG1000	100TGC1000

TG -COLLET

TG150 Series Collets – Metric



- Provides tremendous Grip and accuracy for all drilling applications. Manufactured to DIN 6499 Class 2 accuracy. Grips on back taper and Margin of drill for max feed rate and more accurate hole. Max Collapse 0.4mm
- Order Example – 150TG120M

Collet Capacity	150TG Standard D = 50.83 L= 70.26 Catalogue No
12.00	150TG120M
12.50	150TG125M
13.00	150TG130M
13.50	150TG135M
14.00	150TG140M
14.50	150TG145M
15.00	150TG150M
15.50	150TG155M
16.00	150TG160M
16.50	150TG165M
17.00	150TG170M
17.50	150TG175M
18.00	150TG180M
18.50	150TG185M
19.00	150TG190M
19.50	150TG195M
20.00	150TG200M
20.50	150TG205M
21.00	150TG210M
21.50	150TG215M
22.00	150TG220M
22.50	150TG225M
23.00	150TG230M
23.50	150TG235M
24.00	150TG240M
24.50	150TG245M
25.00	150TG250M
25.50	150TG255M
26.00	150TG260M


TG -COLLET

TG150 Series Collets – Metric

Collet Capacity	150TG Standard D = 50.83 L = 70.26 Catalogue No
26.50	150TG265M
27.00	150TG270M
27.50	150TG275M
28.00	150TG280M
28.50	150TG285M
29.00	150TG290M
29.50	150TG295M
30.00	150TG300M
30.50	150TG305M
31.00	150TG310M
31.50	150TG315M
32.00	150TG320M
32.50	150TG325M
33.00	150TG330M
33.50	150TG335M
34.00	150TG340M
34.50	150TG345M
35.00	150TG350M
35.50	150TG355M
36.00	150TG360M
36.50	150TG365M
37.00	150TG370M
37.50	150TG375M
38.00	150TG380M
38.50	150TG385M
39.00	150TG390M
39.50	150TG395M
40.00	150TG400M

TG-COLLET

TG150 Series Collets – Inch



TG Collet

- Provides tremendous Grip and accuracy for all drilling applications. Manufactured to DIN 6499 Class 2 accuracy. Grips on back taper and Margin of drill for max feed rate and more accurate hole. Max Collapse 0.016".
- Order Example – 150TG0375

Collet Capacity	150TG Standard D = 2.00 L = 3.00 Catalogue No
3/8	150TG0375
25/64	150TG0391
13/32	150TG0406
27/64	150TG0422
7/16	150TG0438
29/64	150TG0453
15/32	150TG0469
31/64	150TG0484
1/2	150TG0500
33/64	150TG0516
17/32	150TG0531
35/64	150TG0547
9/16	150TG0562
37/64	150TG0578
19/32	150TG0594
39/64	150TG0609
5/8	150TG0625
41/64	150TG0641
21/32	150TG0656
43/64	150TG0672
11/16	150TG0688
45/64	150TG0703
23/32	150TG0719
47/64	150TG0734
3/4	150TG0750
49/64	150TG0766
25/32	150TG0781
51/64	150TG0797
13/16	150TG0812
53/64	150TG0828
27/32	150TG0844
55/64	150TG0859
7/8	150TG0875
57/64	150TG0891
29/32	150TG0906
59/64	150TG0922
15/16	150TG0938

TG -COLLET

TG150 Series Collets – Inch

Collet Capacity Max - Min	150TG Standard D= 2.000 L= 3.000 Catalogue No
61/64	150TG0953
31/32	150TG0969
63/64	150TG0984
1	150TG1000
1 1/64	150TG1016
1 1/32	150TG1031
1 3/64	150TG1047
1 1/16	150TG1062
1 5/64	150TG1078
1 11/64	150TG1172
1 3/16	150TG1187
1 13/64	150TG1203
1 7/32	150TG1219
1 15/64	150TG1234
1 1/4	150TG1250
1 17/64	150TG1266
1 9/32	150TG1281
1 19/64	150TG1297
1 5/16	150TG1312
1 21/64	150TG1328
1 11/32	150TG1344
1 23/64	150TG1359
1 3/8	150TG1375
1 25/64	150TG1391
1 13/32	150TG1406
1 27/64	150TG1422
1 7/16	150TG1438
1 29/64	150TG1453
1 15/32	150TG1469
1 31/64	150TG1484
1 1/2	150TG1500