



STANCH ELECTRONICS PVT. LTD.
Committed for Stability

Company Profile


Established In The Year 2012 In Pune, Maharashtra. We “Stanch Electronics” Evolved As The Manufacturer Of Automobile Harness, Wire Harnessing, Customized Harness. Also The Manufacturer Of USB Cables (Micro-USB, C-Type, I-Phone Cable) , SMPS , LED Lighting , Computer Interface Cable, HDMI Cable, Etc. All Our Products Are Getting Widely Popularised Among The Large Clientele Base For The Customised Designs, Superior Quality, And Reliability. Apart From This, Our Ability To Maintain Delivery Promises Is Well Known Fact Amongst Our Customers.

Total wire harnessing solution provider under one roof!


Consulting, Designing, Manufacturing, Sourcing For Critical Connectors & Components/ Special Moulding For Connectors & Component / Any Electric & Electronic items!

Our Products & Services


1>Wire To Board Connector




1mm Pitch
ST-A1002 (NH1.0)




1 mm Pitch
ST-A1001 (SH)



1.25mm Pitch
ST-A1254



1.25mm Pitch
ST-A1256(GH)



1.5 mm Pitch
ST-A1501(ZH)



1.5 mm Pitch
ST-A1501(ZH)



2.0mm Pitch
ST-A2002(PHD)



2.5mm Pitch
ST-A2501(XH)



3.96mm Pitch
ST-A3961



3.96mm Pitch
ST-A3961




5.08mm Pitch
ST-A5081



5.08mm Pitch
ST-A5081

2>Wire To Wire Connectors



1.5mm Pitch
ST-C1501(ZMR)



1.25mm Pitch
ST-C1251&A1251




1.58 Pitch
ST-C01581&C01582



2.0mm Pitch
ST-C2001&C2002



2.0mm Pitch
ST-C2003&A2001(PHR&PH)



2.0mm Pitch
ST-C2004&A2005(SMH200)



2.5mm Pitch
ST-C2507&C2508(SMH&SMP)



3.0mm Pitch
ST-C3001&C3002&C3004



4.0mm Pitch
ST-C4001&C4002(BH4.0)



4.5mm Pitch
ST-C4501&C4502(EL)



4.2mm Pitch
ST-C4201&C4202



6.0mm Pitch
ST-C6001


3>Board To Board Connectors



1.5mm Pitch
ST-B1502(JC15)



1.5mm Pitch
ST-B1501(SZN)



2.0mm Pitch
ST-B2002(JC20)




2.0mm Pitch
ST-B2001(SAN)

BOARD TO BOARD CONNECTORS

[ASK QUOTATION ►](#)




2.54mm Pitch
ST-B2541



2.5mm Pitch
ST-B2501(SCN)



2.5mm Pitch
ST-B2502(JC25)



2.54mm Pitch
ST-B2541

4> Fuse Holder

Waterproof Fuse Holder -IP-65 TO 68

Model No :	ST-ATC-BFH
Type	Water Proof
Material	Naylon-6
Applicable Fuse	ATC, ATO
Wire	12#, 14 #, 16#, 18#
Length	12"
Colour	Available In All Colour
Rated Current	40 Amp Max



Activate Windows

5> Fuse

ATC-Blade Fuse



Time-Current Characteristic
Opening time


% Rating	MIN	MAX
110	4 H	-
135	0.75 S	10 Min
200	0.15 S	5 S
350	0.080 S	0.250 S
600	0.030 S	0.100 S

6> Wire Harness




WIRE HARNESS

ASK QUOTATION ▶



Activate Windows
Go to Settings to activate Windows



7> FPC / FFC Connectors

FPC / FFC
CONNECTORS AND CABLES

ASK QUOTATION ►

8> SMPS

Mobile Adapter

We Manufacture Various Types Of Mobile Adapter / SMPS Which Includes Includes Different Shapes And Design .

- **Application:** Mobiles, Modem, Industrial Digital Equipments, Medical Equipments, Security Equipments, CNC Machine etc.
- I/P volt : 3 V To 24 V
- Current Rating : 1 Amp To 3 Amp





Laptop Adapter

Color	Black / white / grey
Current	1 Amp To 20 Amp
volt	220 / 230 V
Frequency	50Hz
O/p Connector	As Per Requirement

- **Application:** Mobiles, Modem, Industrial Digital Equipments, Medical Equipments, Security Equipments, CNC Machine, Computer / laptops etc.

Industrial SMPS

- **Application:** Mobiles, Modem, Industrial Digital Equipments, Medical Equipments, Security Equipments, CNC Machine etc.
- I/P volt : 3 V To 24 V
- Current Rating : 1 Amp To 3 Amp



9> USB Cables

USB CABLE

Fast Charging Highly Flexible USB Cables. We Manufacture and Supply All Variant of USB Cable which Include Micro-USB, C-Type and I-Phone Cables . We Also Provide Multicolour USB Cables



Multi colour Micro USB Cable



Micro USB Cable

Micro USB Cable

- Customised I/O with Different Types Of Connectors .
- Also OTG Cables.
- USB cables are fast, transferring up to 480Mbps.



C-Type Cable

C-type USB Cable

- Customised I/O with Different Types Of Connectors .
- Also OTG Cables.
- USB cables are fast, transferring up to 480Mbps.



I-Phone Cable

I-Phone USB Cable

- Customised I/O with Different Types Of Connectors .
- Also OTG Cables.
- USB cables are fast, transferring up to 480Mbps.



USB-A Panel Mounting

- Customised I/O with Different Types Of Connectors .
- Also OTG Cables.
- USB cables are fast, transferring up to 480Mbps.

10> Computer Interface Cables

VGA Cable

Connector Type Available	1>Male / Female 2>Female / Female 3>Male /Male
Configuration	Round or Flat Cable with DB-15 three row connector
Colour	All colour available
Frequency (Hertz)	50 Hz
Data Frequency	4 MB/sec
Volt / Amp	3 Amp to 5 Amp As per requirement



VGA-Cable Three Row



DB9 Data Cable

DB-9 Data Cable

Interface Type	DB Serial
Material	Copper
Cable Size	Available In All Lengths
Gender	Male / Female Male / Male Female / Female
Colour	All colour available

DB-15 Data Cable

Interface Type	DB Serial
Material	Copper
Cable Size	Available In All Lengths
Gender	Male / Female Male / Male Female / Female
Colour	All colour available



DB-15 Cable



DB25 Data Cable

DB-25 Data Cable

Interface Type	DB Serial
Material	Copper
Cable Size	Available In All Lengths
Gender	Male / Female Male / Male Female / Female
Colour	All colour available

HDMI Cable

Data Transfer Rate	48.0 Gbps
Color	Black
Usage/Application	Computer, Laptop
Length	2 Meter

Available in :

- a) Male To Male
- b) Male To Female



HDMI Cable



Aux Cable

AUX Cable

- Play audio from any phone, tablet, iPod, laptop or other media-playing device on your headphones
- Durable And Build with highly Flexible Material.

Model Available:

- a) 3.5 mm Male To Male
- b) 3.5 mm Male To Female extension
- c) 3.5 mm Female To Female

Also Available in 2.5 mm

2 Pin Main Cords

Product Specification

Type	2 Pin
Material	Copper
Wire Length (m)	1.5, 1.8, 2, 2.5, 3, 4, 5
Usage/Application	Electric Appliances
Color	Black/white / grey
Volt/Current Available in :	220/ 230 AC 2 A To 10 A
Frequency	50 / 60 Hz



3 Pin Main Cords

Product Specification

Type	3 Pin
Material	Copper
Wire Length (m)	1.5, 1.8, 2, 2.5, 3, 4, 5,10
Usage/Application	Electric Appliance
Color	Black/white / grey
Volt/Current Available in :	220/ 230 AC 2 A To 10 A
Frequency	50 / 60 Hz

Monitor /Laptop Power Cord

Product Specification

Type	3 Pin
Material	Copper
Wire Length (m)	1.5, 1.8, 2, 2.5, 3, 4, 5
Usage/Application	Electric Appliance
Color	Black/white / grey
Volt/Current Available in :	220/ 230 AC 2 A To 10 A
Frequency	50 / 60 Hz



11> OBD Connector

OBD Connectors 16 Pin Male



ST-A01-12v



ST-A02-12v



ST-A03-12v



ST-A04-12v



ST-A05-12v



ST-A06-12v

Activate Windows
Go to Settings to activate Windows.



ST-A14-12v



ST-A12-12v



ST-A22-24v



ST-A28-12v



ST-A29-12v



ST-B01-12v

OBD Connectors 16 Pin Female



ST-F1



ST-F2



ST-F3



ST-F4



ST-F5



ST-F6



ST-F9



ST-F10



ST-F11



ST-F12



ST-F16



ST-F17

OBD Connectors with enclosure



ST-M12



ST-M8




ST-MF1




ST-M20

12> Auto Connector


90 series un-Sealed Connectors :




ST-02MN




ST-08FN




ST-012FN




ST-02FN



ST-010MN




ST-018MN




ST-06MN

90 SERIES CONNECTORS


[ASK QUOTATION ►](#)




ST-018FN




ST-06FN




ST-010FN



ST-020MN



ST-08MN




ST-012MN




ST-020FN


110 series Connectors :




ST-12MN




ST-13MN-RIB




ST-16MN




ST-12FN



ST-14MN




ST-16FN




ST-12MN-RIB

110 SERIES CONNECTORS


ASK QUOTATION ▶




ST-16MN-RIB




ST-12MNS




ST-14FN




ST-19MN



ST-13MN




ST-14MN-RIB




ST-19FN


250 series Connectors :




ST-21MN




ST-23FNH



ST-28FN




ST-21FN




ST-24MN



ST-38FN




ST-22MN



ST-24FN




ST-38FN-L



ST-22FN

250 SERIES CONNECTORS

ASK QUOTATION ▶




ST-1657




ST-22FH



ST-26MN




ST-1904




ST-22RMN




ST-26FN




ST-1960



ST-22RFN




ST-28MN



ST-2904

312 series Connectors :




ST-31MN




ST-31MNCL



ST-32FN



ST-31FN




ST-31FNCL



ST-32MN



ST-32MN-Rib




ST-32FN-Rib

312 SERIES CONNECTORS


ASK QUOTATION ▶

13> Auto Connector (Waterproof) Series


90 series Sealed Connectors :




ST-02MNWS




ST-04MNWS




ST-06MNWS



ST-02FNWS




ST-04FNWS



ST-06FNWS

Super Seal Connectors :



ST-SS2MN



ST-SS4MN



ST-SS5MN



ST-SS2FN

SUPER SEAL CONNECTORS

ASK QUOTATION ►



ST-SS5FN



ST-SS3MN



ST-SS4FN



ST-SS6MN




ST-SS3FN




ST-SS6FN


14> 90 series Terminal




ST-1



ST-2




ST-3




ST-4

90 SERIES TERMINALS

[ASK QUOTATION ►](#)




ST-5




ST-S-1




ST-S-2



ST-S-3




ST-S-4




ST-S-5


110 series terminal :




ST-110-1




ST-110-2




ST-110-3




ST-110-4




ST-110-5




ST-110-6




ST-110-7



ST-110-8




ST-110-9



ST-110-10




ST-110-11




ST-110-13

110 SERIES TERMINAL


ASK QUOTATION ▶




ST-110-14



ST-110-12




ST-110-15




ST-110-16




ST-110-17




ST-110-18




ST-110-19




ST-110-20



ST-110-21




ST-110-22




ST-110-23


250 series terminal :




ST-250-1




ST-250-2




ST-250-3




ST-250-4



ST-250-5




ST-250-29




ST-250-30

250 SERIES TERMINAL

[ASK QUOTATION ►](#)




ST-250-31



ST-250-32




ST-250-33




ST-250-46


312 series terminal :




ST-312-1




ST-312-2




ST-312-3




ST-312-4




ST-312-5




ST-312-6




ST-312-7



ST-312-8




ST-312-9



ST-312-10

312 SERIES TERMINAL

ASK QUOTATION ▶



ST-312-11

Work Environment



“To be passionate” is not taught to any member.

It is the attitude percolated from directors.

Our workforce is the most significant aspect of our organization, owing to their untiring efforts that we are able to carve a niche in the market. Our team is the biggest strength of our organization, lives and breathes in quality.

WHY US?

Few reasons which are responsible for our development in this domain are as follow:

- Extremely reliable range of products
- Well managed services
- Highly experienced team of professionals
- Strict quality standards
- Timely delivery
- Strong vendor base
- Wide distribution network
- Huge warehouse
- Customized packaging
- Competitive price structure
- No mass production, hence we are very much flexible for delivering variety of products ranging from even one number to lacs.

Our Valuable Clients

Our Clients



Caltech



BHARAT FORGE



Contact US

Contact Us



+91-9371812290	Girish [MD]
+91-8484002279	Akshay [Marketing Head]
+91-7978780839	Vandana [MD]
+91-7757945666	Neha [HR]
+91-9730243607	Office Assistant
+91-7757891666	Account
+91-9503239667	Nitin Gote [Marketing Head]
+91-8484001419	Stanch



Email

stanch.electronics@gmail.com
info@stanchelectronics.com



2nd Floor ,Building No.30 , Electronics Co-Op, Estate Ltd. S.No. 44 (Part), Parvati ,Pune Satara Road, Pune 411009