
Helps you make **SENSE** of the world



Brimonidine

Reduces the primary outcome of intraoperative time-weighted average IOP. Anesthesiology 2012 Apr;116(4):807-15

Gets quickly taken up by the cornea following topical administration. Klin Monbl Augenheilkd. 2012 Mar;229(3):236-40

Proven effective to counteract the increase in IOP following Nd-YAG laser capsulotomy.

J Pharmacol Pharmacother, 2011 Apr;2(2):104-6.

Helps normalize autoregulatory control of retinal blood flow. J Ocul Pharmacol Ther. 2011 Aug;27(4)347-52.


Stabilized oxy-chloro complex

New preservative with a wide range of activity and good safety profile Cutan Ocul Toxicol. 2009;28(3):93-103

Open angle glaucoma

Ocular Hypertension

BROMODOR Stabilizes Glaucoma normalizes vision



Acetazolamide 250 mg

Tablets

- Provides significant control of IOP Ophthalmologica. 2012 May 9
- Can be considered a 'possible standard' management of cataract surgery in POAG patients Ophthalmologica. 2012 May 9
- Shows effectiveness of medical therapy in the initial management of APAC Eye (Lond). 2010 Oct;24(10):1599-602

Indications: Acute angle closure Glaucoma = Intraocular Hypertension

ACCTAVIS For effective PRESsure LOWering of eye





Paradichlorobenzene 2% w/v + Benzocaine 2.7% w/v + Chlorbutol 5% w/v + Turpentine Oil 15% w/v + Oily excepients

Paradichlorobenzene

Useful solvent to help disperse and clear ear wax



Benzocaine:

Widely used topical anaesthetic. Br J Nurs. 2011 Feb. 10-23;20(3):168-70

Prevents sodium influx into free nerve endings, thus blocking pain.



Chlorbutol

Performs a dual role of a preservative and anti-microbial




Turpentine Oil

Strong solvent and helps remove wax effectively

Effective even against dry and putrefied wax.

PARAWAX The highly effective ear cleaner



Sodium CarboxyMethyl Lubricant Eye Drops

Cellulose 0.5% w/v + Stabilized Oxychloro Complex 0.0075% w/v (as preservative)

Carboxy Methyl Cellulose

- Muco-adhesive lubricant compound Drug Metabol Drug Enteract, 2009;24(2-4):275-323.
- Tailors the increased intraocular absorption of L-Carnosine in the aqueous humor and optimizes its specific effect in producing the basic antioxidant activity in vivoand reducing toxic effects of lipid peroxides to the crystalline lens.

Drug Metabol Drug interact. 2009;24(2-4);275-323

Stabilised Oxychloro Complex

- New preservative with a wide range of activity and good safety profile.
 Cutan Ocul Toxicol. 2009;28(3):93-103
- Low risk and should be considered especially in patients receiving multiple ophthlamic medications. Adv Ther. 2001 Sep-Oct;18(5):205-15












Also Available

Tear Guard Plus The Dry eyes solution!

Sodium CarboxyMethyl Cellulose Sodium 1% w/v + Stabilised Oxychloro Complex 0.0075% w/v (as preservative)



The combination for all around comfort in eyes

Naphazoline Hcl 0.056% + Chlorpheniramine Maleate 0.01% + Boric Acid 1.25% + Zinc Sulphate 0.12% + Sodium Chloride 0.05 % + Hydroxyproyl methylcellulose 0.25% + Phenyl mercuric nitrate 0.001% (as preservative)

Naphzoline

Eye Drops

- · Constricts the vascular system of the conjunctiva
- Relieves redness, puffiness, itchy and watering eyes associated with colds, allergies or eye irritations
- Delivers relatively long duration of action

CPM

· A first generation anti histamine treats allergy effectively

Zinc Sulphate

 Acts as an astringent, clears proteins and mucous from the outer surface of the eye

Boric Acid

- An irrigation solution to cleanse and treat irritated eyes
- Removes loosen foreign material; air pollution (smog or pollen) or chlorinated water

Indications

REDNESS & IRRITATION

OCULAR ALLERGIES

MILD INFECTION



MOX

Total control of inflammation in Post surgical care

Nepefenac 0.1% w/v + BKC 0.005% v/v (as preservative)

NEPEFENAC

- Safe and efficacious not only following cataract surgery but also for postoperative inflammation and eye pain in intraocular surgery. Nihon ganka Gakkai Zasshi. 2012 Feb.;116(2):86-94
- An NSAID which is effective in the prevention of postoperative inflammation and ocular pain associated with cataract surgery. J Ophthalmic Inflamm infect 2011 Dec;1(4):147-55
- Safe and reduces postoperative pain and inflammation in patients undergoing vitreoretinal surgery. Petina. 2012 feb;32(2)250-5

Benzalkonium Chloride

Results in greater in vitro viability of TM cells. Mol Vis. 2011;17:1806-13

Potent and effective preservative

Indications:

Post operative pain & inflammation







Homodor®

Homatropine Hydrobromide 2% + BKC 0.01% (as preservative)

Eye Drops


- Produces significant cyclopegia
 Oman med J. 2011 Jan; 26(1):23-5.
- Helps to dilate the pupil in inflammatory condition or in diagnostic or post surgery situations
- Potent anti-cholinggic and antagonist of the parasympathetic nervous system.
- Dilates the pupil and aids examination

Eye Examination
Post Surgery Healing

Hemodor'
Superior & trust worthy

Prescribe with Complete Confidence

Fulcort-6 Deflazacort 6 mg Tablets



- Causes Lesster osteoporosis, growth retardation and weight gain as compared to other steroids J Postgrad Med. 2009 Oct.-Dec;55(4):296-300.
- Serves as a useful alternative in corticosteroid allergy.
 J Investig Allergol Clin Immunol. 2010;20(5):449-51

Indications:

Asthma

Airway Disease


Nasal Allergies



Fulcort-6

For full action and efficacy

Better Lubrication... for longer duration



FECCION Chloride 0.490% + Eye Gel

H.P.M.C. 2% + Sodium Chloride 0.490% +
Potassium Chloride 0.075% + Calcium Chloride 0.048% +
Magnesium Chloride 0.030% + Sodium Acetate 0.390% +
Sodium Citrate 0.170%

Hydroxypropyl methicellulose

- Shows a significant reduction in evaporation and improvement in symptoms for dry dyes. Cornea. 2012 Jan;31(1):1-5.
- Provided significantly better optical clarity than balanced salt solution. J Cataract Refract Surg. 2011 oct;37(10):1806-8.
- Results in increased comfort for the patient, especially under topical anaesthesia and in a simpler and possibly safer surgical procedure. J Cataract Refract Surg. 2011 Oct;37(10):1806-8.
- Does not require frequent irrigation J Cataract Refract Surg. 2011 Oct;37(10):1806-8.

Indications:

6 Dry Eyes 6 Eye Irritation 6 Surgical procedure

Feelong No more dryness



Gain Maximum Dilation of Eyes

Cyclopentolate HCl 1% w/v

- More effective than tropicamide in reducing accommodative amplitude in adult myopes. J Cataract Refract Surg. 2005 Apr;31(4):694-700.
- Effective cyclopegic and mydriatic agent
- Enables accurate reading of the focusing power of the eye lens

Indications:

EYE EXAMINATION

Cyclodor enriched with Maximum Efficacy



Astaxanthin 1 mg + Lutein 5 mg + Zeaxanthin (20%) 1 mg + Vit. A (as palmitate) 2500 I.U. + Vit. E Acetate 5 mg +

Vit. C 50 mg + Zinc Oxide (elemental zinc) 40 mg + Cuperic Oxide 2 mg (eq. to elemental copper) + Sodium selenite pentahydrate 40 mcg

Prevents against age related macular disorders and retinal damage

Acts as a powerful anti oxidant & prevents oxidative stress and damage to the eyes

Helps on the production of retinal pigments

Prevents diseases like cataract and keeps vision healthy

Maintains healthy vision and prevents acuity.


Indications AMD Diabetic Retinopathy **Asthenopia**

Capsules

Super Zeaxanthin formula provides clinically proven doses of all three carotenoids to help protect your precious eyesight, plus an additional carotenoid, astaxanthin, to help fight eye fatigue.

- ✓ Provide vision support and protection ✓ Reduce symptoms of visual fatigue
 - ✓ Support normal eye focusing between near and far objects
- ✓ Support blood flow to ocular tissues ✓ Support optimal visual function

Astador For better vision



Acetazolamide 250 mg

Tablets

- Provides significant control of IOP Ophthalmologica. 2012 May 9
- Can be considered a 'possible standard' management of cataract surgery in POAG patients Ophthalmologica. 2012 May 9
- Shows effectiveness of medical therapy in the initial management of APAC Eye (Lond), 2010 Oct;24(10):1599-602

Indications: Acute angle closure Glaucoma = Intraocular Hypertension

Acetavis For effective PRESsure LOWering of eye







TRYPAN BLUE 0.06% INJECTION

Is a popular choice for anterior segment Surgeons due to its safety, ease of availability, and remarkable ability to enable an ease surgery in difficult situations mostly related to visibility of the targeted tissue. Eye(Land), 2011 Sep;25(9):1113-20

Highly useful in complicated cataract, retina and glaucoma surgeries.

J Glaucoma 2011 Nov 29

Helps reduce the incidence of posterior capsule opacification after cataract surgery. J Cataract Refract Surg. 2010 Apr;36(4):582-7.

Does not have any effact on IOP during the immediate and early postoperative period. Can J Ophthalmol. 2009 Jun;44(3):293-6.

Indications

Cataract Surgery

Corneal transplantation

Grabeculectomy







Dextromethorphan HBr 10 mg + Guaiphenesin 100 mg + Bromhexine Hcl 8 mg + Chlorpheniramine Maleate 2 mg **Tablets**

DEXTROMETHORPHAN

- Widely used component of cough medicine. Neurobiol Dis. 2011 Oct;44(1):63-72
- Safe and effective antitussive
 Pulm Pharmacol Ther. 2009 Apr;22(2):75-81

GUAIPHENESIN

Helps Flush tenacious, congealed mucopurulent material from obstructed small airways.

BROMHEXINE

- Possesses activity to prevent bacterial adherence to mammalian cells. Appl Biochem. 2009 Jul;158(1):197-112
- Useful in adjunctive therapy of respiratory tract disorders. Pol Merkur Lekarski. 2002 Mar;129(69):248-52

CHLORPHENIRAMINE

Potent first-gerertation histamine H(1) receptor antagonist. Korean J Physiol Pharmacol. 2009 Jun;13(3):215-20

URTI LRTI COPD

Tapkof-DMR Eases Symptoms...eases life

SUR

The highly effective & useful aid for ocular surgery



Proparacaine 0.5%

Eye Drops

More potent than oxybuprocaine, bupivacaine and lidocaine.

Neurosci Lett. 2009 May1;454(3):249-53.

- Products potent and long lasting anesthesia Neurosci Lett. 2009 May1;454(3):249-53.
- Provides very effective and cost-effectiv anesthesia during intravitreal injections. Retina. 2012 Apr;32(4):701-5
- Efficacious analgesic for acute corneal injuries CJEM. 2010 Sep;12(5):389-96.

Indications:

Tonometry

Gonioscopy

Ocular Surgery

Removal of foreign objects from cornea and conjunctiva





Navatob Navatob

Tobramycin Sulphate 0.3% + Benzalkonium Chloride 0.01% (as preservative)

NAS

- Preferred treatment for bacterial conjunctivitis.
 Klin Monbl Augenheilkd 2012 may;229(5):529-33.
- Highly active against CSPA Am J Ophthalmol.. 2004 Aug. 138(2):226-30.
- Highly Effective as a prophylactic Medication. Curr Eye Res 2001 Jul;23(1):60-3.
- Particularly useful against gram (-)ve organisms and species of Pseudomonas.

Indications

Bacterial conjunctivitis Keratitis

Also available



Preferred and effective

Does not let congestion Disturb your life

Nasal Drops

- Commonly ussed as an adjunct to medical therapy.
 Int Forum Allergy Rhinol. 2012 May;2(3):252-7
- Safe and well tolerated. Arch Otolaryngol Head Neck Surg. 2010 Nov;136(11):1099-103
- Useful tool to moisten and irrigate the sinuses.
- Helps liquefy secretions and decrease the risk of crusting in the sinus cavities.

Indications Sinusitis Rhinitis Common Cold

Nasovis

Simple yet elegant







Zeaxanthin 1 mg + Ecohexazomic Acid 325 mg + Lutein 5 mg + Decohexozome 175 mg + Omega 3 fatty acids 500 mg

Decohexozone

Zeaxanthin

- Reduces AMD because of their biochemical, optical and anatomic properties. Invest Ophthalmol Vis Sci. 2012 Jul 14.
- Powerful antioxidant that is associated with a lower risk of age-related macular degeneration, helps prevent glaucoma and cataracts, and supports normal eye health. Methods Mol Biol. 2012;892:99-131.

Lutein

Exerts both antioxidant and anti-inflammatory effects by accumulating in the eyes to protect against oxidative stress. Nutr Res Pract 2012 Ap;6(2):113-9

Ecohexazomic acid

Is an essential fatty acid and helps in neuronal and retinal development.

Decohexome acid

- Major part of the retinal cell phospholipids. Lipids. 2012 Jun 10.
- Helps in development of visual acuity. Br J Nutr 2012 Jun; 107Suppl 2:S85-S106,

Maintenance of healthy vision (AMD)

(Cataract)

Fullact Keeps vision healthy

Active Oral Freshness & Clea<u>nness</u>



- ► Reduces plaque formation significantly better then xylitol Contemp Clin Dent. 2010 Oct;(4):214-7.
- Active against both gram positive gram negative bacteria
- Acts as both a bactericidal and bacteriostatic.

Indications

Tonsillitis

Gingivitis

Dental Caries

Dental Plaque



For complete oral hygiene



Destroys
Pain
&
Fastens

relief



Diclovis-S

Diclofenac Potassium 50 mg + Tablets
Serratiopeptidase 10 mg (20,000 units of serratiopeptidase)

Diclofenac

Provides a rapid onset of confirmed perceptible pain relief Curr Med Res Opin. 2011 Sep;27(9):1733-9. Epub 2011 Jul 19.

More effective as compared to zaltoprofen Expert Opin pharmacother 2011 May; 12(7):1007-15. Epub 2011 Apr. 7.

Serratiopeptidase

Possesses anti-inflammatory properties. Indian j Pharm Sci. 2010 Jan;72(1):65-71.

Suitable alternative to commonly used non steroidal anti-inflammatory agents.
indian J Pharm Sci. 2010 Jan;72(1):65-71

Indications:

Post Surgical pain & inflammation Inner Ear injury

Diclovis-S Reliever & healer

INTRODUCING



DIC

The effective control on Intraocular Pressure (IOP)


- First U.S. FDA approved topical carbonic anhydrus inhibitior
- Inhibition of carbonic anhydrase, hence reduces aquous humor secretion and lowering intra ocular pressure
- Protect optic nerve head by accelerating blood velocity and provides vasoprotection
- Effectively treats open angle Glaucoma and Ocular Hypertension



Indications:

TO REDUCE ELEVATED INTRAOCULAR PRESSURE IN PATIENTS WITH: PRIMARY OPEN ANGLE GLAUCOMA OCULAR HYPERTENSION





CINNARIZINE

- Inhibits H1 receptor pathway from inner ear to cerebelum and treats nausea and vomiting
- Quickly prevents motion sickness by depressing vestibular excitation which is one of the root cause for nausea and vomiting

DOMPERIDONE

An ideal gastroprokinetic & antiemetic agent

J_n
<u>VERTIGO</u>
<u>MOTION SICKNESS</u>
TINNITUS

<u>VERTIGO</u> <u>PERIPHERAL VASCULAR DISORDERS</u> <u>MOTION SICKNESS</u> <u>CENTROVASCULAR DISORDERS</u>




Also available

CINRIZAL FORTE

CINNARIZINE 75 MG.

TABLETS

Relieves both nausea & vomiting



Lutglu Plus For perfect vision

In the management of Diabetic Retinopahty



Indications:

Shows antioxidant, anti-inflammatory mechanisms in diabetic retinopathy.

Phlebology. 2011 Dec;26(8):332-7

Prevents the BRB breakdown induced by diabetes by restoring tight junction protein levels and organization and decreasing leukocyte adhesion to retinal vessels.

Diabetes: 2010 Oct;59(10);2637-45

Exhibits significant protection against cataract Methods Find Exp. Clin Pharmacol. 2010 Apr.;32(3):171-9.

Shows significantly good activity on prevention of BRB disruption, independently of diabetes control with good tolerance.

Graefes Arch Clin Exp Ophthalmol. 2006 Dec;244(12):159-600.

Caldovis® Preserves vision, Adds Health



THE LASTS Eye Drops

Sodium Carboxy Methyl Cellulose 5 mg + Stabilized Oxychloro Complex 0.1 mg with Glycerine, Erythritol, Levocarnitine, Boric Acid, Calcium Chloride Dihydrate, Magnesium Chloride Hexahydrate, Potassium Chloride, Sodium Borate Decahydrate, Sodium Citrate Dihydrate

Helps Prevent drying of eyes.

Keeps the eyes hydrated and lubricated for longer.

Prevents itching and irritation due to dust and pollution

Balances the pH and prevents discomfort.

Helps Keep the eyes clean and fresh.

indications

POST-LASIK/CONTACT LENSE USERS
DRY EYES

TEC

For longer lubrications





VISION OX Moxifloxacin 0.5% w/v Eye/Ear Drops

- First ocular fluoroquinolone to treat Chlamydia Trachomatis.
- Provides higher drug concentration through out all the relevant ocular structures.
- Reduced probability for developing bacterial resistance.
 Am.J. ophthamol, 2002; 133, 463-466
 - Unique C-7 side chain expands spectrum of activity by:
- Reducing ability of cell's efflux pump to flush out antibiotic.
- Increases drug's stay in bacterial cells for longer duration of action.
 Refractive Eyecare for Ophthalmologists. March 2003;7 (suppl):20

Indications

Conjunctivitis

External Bacterial Infections

Bacterial Keratitis

Blepheritis

VISMOX**



The nerve rescuer

Nervdőr-Plus

Methylcobalamin 1000 mcg + Pyridoxine Hcl 100 mg + Injection
Niacinamide 100 mg + Benzyl alcohol 2% w/v

Methyloobalamin

Decreases Hcy Induced motor neuron death in vitro and may play a role in the treatment of late stage ALS.
Toxicol Appl Pharmacol, 2011 Mar 15;251(3):217-25.

- Has a special affinity for nerve tissues to promote myelination and transport of axonal cytoskeleton. EurJ Clin Invest. 2011 Apr;41(4):442-50.
- Improved the symptoms of optic neuropathy

Pyridoxine


Involved in many aspects of macronutrient metabolism, neurotransmitter synthesis, histamine synthesis, hemoglobin synthesis and function and gene expression.

Niacinamide

Plays a neuroprotective role.

Nervdőr-Plus

Controls damage enhances life



Indications

Optic neuropathy
Macular dageneration
Diabetic retinopathy
Diabetic neuropathy

NET

The Combination for superior pain suppression



Aceclofenac 100 mg + Paracetamol 325 mg

Tablets

Aceclofenac

Shown to have potent analgesic and anti-inflammaotry activities similar to indomethacin and diclofenac. J Adv Pharm Technol Res. 2011 Apr;2(2):128-31

Due to its preferential Cox-2 blockade it has a better safety than conventional (NSAIDs).
J Adv Pharm Technol Res. 2011 Apr;2(2):128-31

Paracetamol

Potent and proven anti-inflammatory, anti-pyretic and analgesic

Indications:



Post surgical pain & inflammation




inflammation of the cornea



Inflammation of Conjunctivitis

No more pain



- Achieves cough resolution in a significant number of children with chronic wet cough Thorax. 2012 May 24.
- Well tolerated for acute exacerbations of COPD. Eur Respir J. 2012 Feb 15.
- Cost effective for the treatment of acute otitis media. Paediatr. Child helath. 2010 Sep;15(7):e14-8.
- Effective against both gram (+)ve and gram(-)ve bacteria

Indications:

- ➤ LRTI ➤ Otitis Media
- > UTI > Sinusitis



Superior bacterial eradication



The next generation anti-allergic

LECVIS-DT

Levocetirizine 5 mg

Dispersible Tablets

- Has several Pharmacokinetic properties that are desirable for an antihistamine Expert Opin Drug Metab Toxicol, 2011 Jun 4.
- Provides a combination of both potency and safety, rapid and extensive absorption, limited distribution and its very low degree of metabolism Expert Opin Drug Metab Toxicol. 2011 Jun 4.
- Levocetirizine does not cause sedation and impairement of psychomotor functions compared to other anti histamines

Indications

- Allergic conjunctivitis
- Allergic rhinitis

LECVIS-DT Safe, effective and non sedating

LDT

The Multi-Functional Combination





Methylcellulose 0.25% + BKC 0.001% (as preservative)

Flurbiprofen Sodium

- Helpful for the inhibition of intra-operative miosis
- Also helpful in alleviating post operative pain and inflammation.

Methylcellulose

Serves as a useful lubricant and prevents dry eyes and irritation

Indications:

Post surgery pain & inflammation Cataract surgery



The most through combination to fight cough & cold

Fexicold

Chlorpheniramine Maleate 2 mg + Paracetamol 325 mg + Caffeine anhydrous 30 mg + Phenylephrine Hcl 5 mg

Tablets

Paracetamol

Acts as an anti-pyretic, analgesic and anti-inflammatory

Phenylephrine

Selective a1-adrenergic receptor agonist More effective than pseudoephedrine as it does not cause side effects like CNS stimulation, insomnia, anxiety, irritability and restlessness.

Chlorpheniramine

Potent first-generation histamine H(1) receptor antagonist

Korean J Physiol Pharmacol. 2009 Jun; 13(3):215-20

Caffeine

Produces antinociceptive effect through antagonism of A2A receptors Neursci Lett. 2006 Jul 10;402(1-2):164-6.

Neurous Lett. 2006 stat 10/402(1-2).164-6

Cough & Cold

Nasal Allergies

Rhinitis

Fexicold

Provides relief from every aspect of cold

For swift & complete bacterial eradication



CEFIVIS-DT 200 Tablets

- Has the longest half-life period among all oral cephalosporins Urologiia, 2011 Mar-Apr;(2):63-6
- Has high activity against basic pathogens of urogenital infection. Urologiia. 2011 Mar-Apr;(2):63-6
- Higher clinical and microbiological efficacy than ciprofloxacin Urologiia. 2011 Mar-Apr;(2):63-6

Indications:

Otitis media

Pharyngitis


Tonsillitis

Bronchitis

Also Available

CEFIVIS - DT100 The heavy duty anti-biotic

Cefixime 100 mg (DT) Tablets



- Locally effective and direct acting drug that relieve nasal congestion Eur J Clin Pharmacol. 2011 Jan;67(1):19-23.
- Used successfully for many years and is generally recognized as an effective and safe therapy. Curr Med Res Opin. 2010 Apr.;26(4):889-99.
- Safer and Cheaper to use than phenylephrine-lignocaine. J Laryngol Otol.. 2009 Jun;123(6):626-30.
- Effective and well-toleratd decongestant nasal spray that significantly relieves nasal congestion. Am j Rhinol. 2008 Sep.-Oct;22(5):491-6

Indications:

Allergic Rhinitis Blocked Nose Sinusitis

Also Available



Xylomethazoline Hcl 0.05% w/v + Benzalkonium Chloride 0.011% w/v The highly effective combination for Infection & Inflammation



Chloramphenicol 1% + Hydrocortisone Acetate 0.5% Ointment

Chloramphenicol

Broad spectrum bacteriostatic anti-bacterial

Active against a wide variety of gram (+)ve & gram (-)ve bacteria and anaerobes

One of the few agents active against MRSA

Hydrocortisone

Contributes to neurite outgrowth by activating macroglia to produce neurotrophic and neuroprotective molecules in retinal cells

Invest Ophthalmol Vis Sci. 2012 Apr 24:53(4):2046-61

Has anti-inflammatory properties, reducing histamine secretion and stabilizing lysosomal membranes

Indications:

Surface ocular infections Corneal infections Conjunctivitis Post surgical infections







Tropicamide 0.8% + Phenylephrine Hcl 5% **Eye Drops**

TROPICAMIDE

- Has a significant measurable influence on anterior chamber depth and lens thickness. Oman Med J. 2011 Jan;26(1):23-5.
- Produces satisfactory pupil dilation.
 Ophthlamic Res. 2009;42(2):87-9. Epub 2009 May 27.

TIM

PHENYLEPHRINE

- Does not significantly increase systemic blood pressure whilst causing dilation.
 Oman Med. J. 2009 Jan;24(1):30-2.
- Has Minimal effect on accommodation, corneal alteration and corneal topography. Clin Exp. Optom. 2007 Jan;90(1):44-8

Indications:

Mydriasis

Exe Examination

Short term pupil dilation

TROPVIS For superior Eye Examination

Pressure on the eyes Lead to Glaucoma



Timolol Maleate 0.5 % w/v + Dorzolamide 2% w/v +Benzalkonium Chloride Solution 0.02% v/v (as preservative)

Dorzolamide

- Effective for the treatment of CME in patients with RP, and that the positive treatment effects last for up to 6 months. Graefes Arch Clin Exp Ophthalmol. 2012 Jun;250(6): 809-14.
- Improves retinal and optic nerve blood flow. Drug Metab Dispos. 2011 Sep;39(9):1529-37.
- Achieves higher aqueous humor, anterior vitreous, posterior vitreous, and optic nerve levels than brinzolamide. Drug Metab Dispos. 2011 Sep;39(9):1529-37.

Timolol

- Effectively reduced IOP in chronic angle-closure glaucoma patients.
 - J Med Assoc Thiai. 2012 Apr;95 Suppl 4:S116-22.
- Effective to stabilize the refraction after LASIK. Zhonghua Yan Ke Za Zhi. 2011 Jul;47(7):596-600.

Indications Open angle glaucoma

Ocular hypertension

Also Available

® Normalizes pressure improve visual function

Timolol Maleate 0.5 % w/v EAR DROPS Bonzalkonium Chloride Solution 0.02% v/v

Protects from every possibility



Otodor Ear Drops

Chloramphenicol 5% w/v + Beclomethasone Dipropionate 0.025% w/v + Clotrimazole 1% w/v +Lignocaine Hydrochloride 2% w/v (oily base)

OLO

Chloramphenicol

- ☑ Broad Spectrum bacteriostatic anti-bacterial
- ☑ Active against a wide variety of gram (+)ve and gram(-)ve bacterial and anaerobes

Beclometahsone

- Has a minimal impact on lenticular opacities development and/or progression J Asthma. 2008 Dec:45(10):893-902
- Does not cause any elevations in IOP.
 J Glaucoma 2011 Jun 28

Clotrimazole

Alerts the permeability of the fungal cell wall and inhibits fungal enzymes.

Lignocaine

☑ Potent local anaesthetic.

ln.


Resolution from bacterial & fungal infections

Relief from pruritus & inflammation

Sympthomatic pain relief

Otodor™
Protector, Healer
& Preventer

In the management of Allergic Conjunctivitis



zanomam omorac obloation 0.0170 v/ v (ao prosor

Mast cell stabilizer

Reduce & control the intensity of allergic reactions


Safe and well tolerated in subjects with a history of allergic conjunctivitis

High rates of efficacy in treating ocular itching

INDICATIONS

Allergic Conjunctivitis
Atopic keratoconjunctivitis (AKC
Giant papillary conjunctivitis

Olopis First ocular antiallergic agent indicated for once-daily dosing



MONTELUKAST

Provides benefits and improved control of asthma.

J Asthma. 2012 may 3.

Effective, as evaluated by improvement of the VAS scores.

Allaergy AsthmaProc. 2012 March-Apr,33(2):e17-22

LEVOCETIRIZINE

Has several pharmacokinetic properties that are desirable for an antihistamime. Expert Opin Drug Metab Toxico. 2011 jun 4.

Provides a combination of both potency and safety, rapid and extensive absorption, limited distribution and its very low degree of metabolism.

Expert Opin Drug Metab Toxicol. 2011 June 4

Indications:

Lecvis M For long lasting relief





Vit. B6 1mg + Vit. B12 5 mcg. + Vit. D3 5 mcg. + Folic Acid 500 mcg +
Niacinamide 25 mg + Biotin 10 mcg + Lysine Hydrochloride 50 mg + Ferrous Fumarate 45 mg +
Dibasic Calcium phosphate 75 mg + Zinc Sulphate 10 mg + Magnesium Hydroxide 10 mg +
Copper Sulphate 500 mcg + Manganese Sulphate 500 mcg + Sodium Selenate 200 mcg

- Protects against the damaging effect of free radicals and prevents oxidative stress.
- Helps in optimal production of retinal pigments and maintains vision.
- Prevents age related macular defects and premature aging.
- Helps maintain visual acuity for longer.

Indications:

Old Age

Prolonged illness

Maintenance of general health and vision



The Steroid of choice in ocular inflammation



Flumetha

Fluromethalone 0.1% w/v + Benzalkonium Chloride 0.004% v/v (as preservative) Eye Drops

- Useful tool in assisting vitreous surgery including Safe ILM peeling
 Graefes Arch Clin Exp Tphehalmol. 2007 Jul;245(7):1019-25
- Effective in reducing subclinical conjunctival inflammation before filtering surgery
 Graefes Arch Clin Exp Ophthalmol 2002 Nov;240(11):929-35
- Proves to be a safe anti-inflammatory treatment in terms of avoiding steroid-induced glaucoma
 Br J ophthalmol. 2011 Nov. 95(11):1531-3

Indications:

Post Surgical Inflammation


Inflammation of conjunctiva

Inflammation of cornea

Inflammation of anterior segment



In Migraine and Vertigo



Flunador-10 Flunarizine Dihydrochloride 10 mg

- FLUNARIZINE is a selective calcium antagonist.
 It prevents cellular calcium overload by reducing excessive transmembrane calcium influxes.
- FLUNARIZINE is well absorbed from the gut, reaching peak plasma levels within (2-4) hours and reaching steady state at (5-6) weeks.

Most effective prophylaxis for migraine headache 1&2 The Journal of family Practice, Oct., 2003; vol. 52(10)

Shows 83% efficacy in the treatment of Migraine attacks
Headache: The Journal of Head and Face Pain Volume 21 issue 6 pg 235-239, Nov. 1981

- Classic (with aura) or common (without aura) migraine
- Vertigo and vestibular disorders
- Peripheral and cerebral vascular

Strong relief... Lasting relief