

Our

- ▲ Profile & Company Overview
- ▲ Strength in Refractory
- ▲ Understanding

Business Overview



We **Continental Refractories Pvt. Ltd.** – The company proud to put Indore on the refractory map of India is one of the leading manufacturers of quality Refractories and an established refractory plant engaged in providing complete Refractory product solutions to the Ferrous & non-ferrous Industries. Operating from **Indore**, Madhya Pradesh, India, **CONREF** has been continuously catering to refractory requirements of various Cement Plants, Power Generation Plants, Steel Plants, Glass & Ceramic Industry, Zinc & other Non-Ferrous Industry across the nation. **CONREF** has the Customer at the helm of its Mission and Customer Satisfaction as a way of life. The **CONREF** team, is extending its boundaries all the time in terms of potential, learning and growth, making best use of available resources, and maximizing value to the Customers, Stakeholders and its Associates. **CONREF** would like to be perceived as a provider of consistent quality product & services. **CONREF** Vision is the one that we completely dedicate and abide by.

CONREF is renowned for offering turnkey project solutions, from layouts to desired results and inculcating technical, non-technical services and processes. Since decades, we have been known for customizing services and target the ultimate satisfaction of our customers. Our core belief in professional excellence has taken us to stupendous growth in terms of achievement and customer satisfaction.



Since 1982, **CONREF** has crossed many milestones and has made new ones to be followed. The sparking evolution has revolutionized the industry by infusing the seeds of innovative thinking.

An integral part of the well-diversified **CONREF** Group, our company is empowered to offer end-to-end solutions to the fields of Steel Plants, Glass Industries Power plants, and various other Non – Ferrous Industries. Our core competency lies in Executing Projects as per time and quality expectation of customers using the best of industrial practices at all levels.

CONREF has 35 years of experience, a nationwide network and a team of dedicated engineers. **CONREF** is engaged in various activities across the states of Odisha, Jharkhand, West Bengal, Rajasthan, Maharashtra, Madhya Pradesh, Karnataka, Andhra Pradesh, Uttar Pradesh, Himachal, Jammu & Kashmir, Haryana, Gujarat and Punjab alike.

CONREF lays a very high emphasis on Health, Safety and Environmental (HSE) issues and we are committed to provide a safe and healthy work environment for the protection of our most vital resource - our employees.

Our HSE policy is based on our strong belief that 'All our employees must return home to their loved ones without injury after work each day.

Who we are



The Company established itself as a Refractory Plant in 1982. However; the principals of the company had previously been evolved within the industry at a high level with a combined experience of over 50 years, offering varied portfolios of services such as Manufacturing, Research & Development of Refractory Material and after sales services. **CONREF** is one of the fastest growing Refractory Manufacturer in India today. Having successful completion of many prestigious projects to its credit, we are among the most preferred Refractory Plant across the nation that is meeting its customers' demand economically and on time without compromising quality. Over the years, it has become one of the largest and well-equipped state of the art Refractory plants in India covering a wide range of products for use in the Ferrous & the non-ferrous Industries. Its customer base spreads from iron and steel to cement, aluminum, glass, copper, chemicals and hydrocarbon industries.


We have achieved excellent level of competence in manufacturing quality refractory such as High Alumina fired bricks from 35% to 90% Al₂O₃, Mullite, Magnesite, AZR, Mag-chrome, Light Weight Insulating Bricks to withstand Hot Face temperatures up to 1600°C and Monolithics consisting of Insulation Castings, Dense Castables, Low Cement Castables, High Alumina Ramming Mass, Wet and Dry Air Setting Mortars and Insulation Mortars

Progress



When we started we were just a spec in the vast universe of industries. Working our way slowly and steadily, strictly adhering to our principles we have grown 20 folds from when we started.

Today our presence is well known across the nation. We have efficaciously taken this presence from nation to the global market. Our presence matters to both our customers as well as our competitors.



The Team **CONREF** is made of experienced managers, efficient administrators, highly qualified engineers and skilled manpower. With all the expertise at our disposal, we can offer to our clients a unique blend of knowledge, capacity and capability; all what a project needs to be successful.

We have helped successful execution of some of the most prestigious projects across the nation. Quality & timely delivery of the precise product does matter in completion of project. A dedicated workforce has been constantly working to follow highest quality standards and deliver all our projects in time. This is how we could keep our customers multiplying. We follow a strict quality management system to ensure that the procurement, manufacture and dispatch are carried out as per the required standards.

Mission Vision & Philosophy



MISSION: *To achieve twenty percent growth every financial year through sustained R & D and product development.*

VISION: *To be the company that best understands and satisfies the product demands of our esteemed customers by being a world class Refractory Products & High Temperature Management Solution provider.*

Our company's philosophy is to provide a product that is reliable, compliant with customers' demand, provide honesty and integrity throughout and always complete our deliveries to the satisfaction of the customer. With these key factors as our aim, we hope that this will make **CONREF** the number one choice.

The Company is constantly striving to improve upon its product, service and performances, thus delivering value and satisfaction to its customers. **CONREF** is a family oriented team with a long-serving workforce.

There are three strategic objectives, which govern our service delivery

- ▲ *Achieve excellence in manufacturing quality refractory product.*
- ▲ *Provide a safe and secure net for our esteemed customers' (ROI), whereby there are no surprises in terms of breakdowns / unscheduled downtime.*
- ▲ *Stay tuned to maintain a customized customer focus – in other words, optimize our sensitivity to individual customer needs, by way of a closed loop feedback mechanism.*

Quality Policy



We adhere to certain Quality Norms as below:

- ▲ *To achieve zero percent rejection in house as well as at customer's end.*
- ▲ *To achieve timely delivery for all precise product*
- ▲ *To grow by twenty percent in every year.*
- ▲ *Quality of work*
- ▲ *Good workmanship*
- ▲ *Inspection at every stage of work*



Customer Service, being the backbone of an industry, we see to it that we value our clients and do our best to see their value being associated with us.

We believe in giving our clients good value for their money with an assurance of dedicated & well- executed services. We have stage wise inspections. Our high standards eliminate the faults at every stage, so that only the best pass on to the next.

Infrastructure

1. CRUSHING & GRINDING.

| S.No. | Name of Machine | Capacity | Nos. |
|-------|---------------------|------------|------|
| 1. | Jaw Crusher | 3 Tons/Hr. | 02 |
| 2. | Impact Mill | 5 Tons/Hr. | 01 |
| 3. | Perforated Pan Mill | 4 Tons/Hr. | 01 |
| 4. | Disintegrator | 2 Tons/Hr. | 01 |
| 5. | Magnetic Separator | 4 Tons/Hr. | 06 |
| 6. | Pulverizer | 2 Tons/Hr. | 02 |
| 7. | Vibrating Screen | 5 Tons/Hr. | 02 |
| 8. | Ball Mill | 0.5 Ton | 01 |

2. WEIGHING & MIXING.

| S.No. | Name of Machine | Capacity | Nos. |
|-------|-----------------|-----------|------|
| 1. | Batch Weighing | 1000 Kgs. | 03 |
| 2. | Mixer | 500 Kgs. | 08 |

3. PRESSING:

| S.No. | Name of Machine | Capacity | Nos. |
|-------|----------------------|----------------|------|
| 1. | Friction Screw Press | 150 Tons | 02 |
| 2. | Friction Screw Press | 110 Tons | 01 |
| 3. | Friction Screw Press | 150 Tons | 01 |
| 4. | Friction Screw Press | 400 Tons | 01 |
| 5. | Hydraulic Press | 200 Tons | 01 |
| 6. | Hydraulic Press | 450 Tons | 01 |
| 7. | Pug Mill | 5 Tons / Shift | 01 |

4. DRYING

| S.No. | Name of Machine | Capacity | Nos. |
|-------|-----------------|----------|------|
| 1. | Dryer | 35 Tons | 02 |

5. FIRING:

| S.No. | Name of Machine | Capacity | Nos. |
|-------|--|---------------------------------|------|
| 1. | Tunnel Kiln with Drying Chamber Tunnel | 1450° C & 1600° C | 02 |
| 2. | Producer Gas Plant | 5000-6000m ² Per Day | 02 |

6. MECHANICAL:

| S.No. | Name of Machine | Capacity | Nos. |
|-------|--------------------------|----------|---------|
| 1. | Lathe Machine | | 03 |
| 2. | Electric Welding Machine | 350 Amp. | 03 |
| 3. | Shaper | | 04 |
| 4. | Grinder | | 01 |
| 5. | Drilling Machine | | 02 |
| 6. | Surface Grinding Machine | | 02 |
| 7. | Permanent Mother Moulds | | 30 Sets |
| 8. | Air Compressor | | 02 |
| 9. | Air Compressor | | 01 |

7. ELECTRICAL / POWER:- We have complete facilities for electrical work connected load of 240 KVA from MPSEB along with one diesel generator sets make Greaves Capacity 125 KVA.



R & D / Testing Facility

Other than the above Infrastructure we have the following:



| S.No. | Name of Machine | Capacity | Nos |
|-------|--|-------------|-----|
| 1. | Cold Crushing Strength | 2000 KN | 1 |
| | Cold Crushing Strength | 250 KN | 1 |
| 2. | Pyrometric Cone Equivalent (PCE) Furnace | 1850° C | 1 |
| 3. | Refractoriness Under Load (RUL) Furnace | 1800° C | 1 |
| 4. | Permanent Linear Change (PLC) Furnace. | 1700° C | 1 |
| 5. | Air Oven | 250° C | 1 |
| 6. | Spalling Testing Furnace | 1300° C | 1 |
| 7. | Muffle Furnace | 1250° C | 1 |
| 8. | Electronic Balance | 600 & 200gm | 2 |
| 9. | Vibro Casting Machine | | 1 |
| 10. | Flame Photometer | | 1 |
| 11. | Thermal Conductivity Testing Apparatus. | | 1 |
| 12. | Carbon Monoxide.Disintegration Testing | | 1 |
| 13. | Abrasive Index. | 10 Kg. | 1. |
| 14.. | Optical Pyrometer. | 2000° C | 1 |
| 15. | Reversible Thermal Expansion. | 1100° C | 1 |
| 16. | Modulus of rupture | | 1 |
| 17. | CREEP IN COMPRESSION INSTRUMENT (Computerized) | 1700° C | 1 |
| 18. | HMOR Furnace | 1400° C | 1 |



About The Directors

Bholu Mehta.

Director

An MBA having a strong acumen for marketing has been a driving force for the progress of the company. He has set across many milestones in the progress of **CONREF**. Has been a true driving force for the progress of the group.



Jasbir Sandhu.

Director

A leader truly leading the team by own example. He has put in a lot for the success of the company. His long experience in the Steel industry has proved to be exemplary for the overall progress of the company. He has proved to be a pillar of strength for **CONREF**.

Why CONREF



- ▲ Our ability to offer complete Customized Solution.
- ▲ Well equipped “In-house” team to cater for various kinds of refractory material.
- ▲ Cost effective products without compromising the quality.
- ▲ Dedicated service team to offer special O & M support service.
- ▲ Technically competent project team.
- ▲ Reliable after sales & service network spread across the nation to offer bespoke service support.



CONREF has been in the business of manufacturing refractory since 1982. Over the past decade **CONREF** has created an organization of enviable reputation with employee strength in excess of 100 people backed by a team of highly skilled and dedicated work force.

The company has invested heavily on Research and development.

When it comes to manufacturing Refractory, we have proved to produce highest quality refractory time and again, thus surpassing the satisfaction level of all our customers.

We have over 35 year of experience, a nationwide network and a dedicated team. By delivering all our projects right on time while adhering to the highest technical and quality standards. Which is why the most exacting clients keep coming back to us.

Gen Information



Company : CONTINENTAL REFRACTORIES PVT. LTD.

Regd. Office. : 71,
Sector – 'C'
Sanwer Road
Industrial Estate
Indore – 452 015 (MP)

Telephone No. : 0731 – 6467526

Fax : 0731 – 2720183

email : conref@satyam.com

Web : www.continentalrefractory.in

Our Product Line

Fire clay & High Alumina Bricks

| Brand Name | Al ₂ O ₃ (%) (min.) | Fe ₂ O ₃ (%) max. | AP % (max.) | BD gm/CC (min.) | C.C.S. kg/c m ² (m in) | P.C.E. (OC) (MIN.) | R.U.L. ta° C (min) | PLC (%) Max. | Area of Application |
|--------------|---|---|-------------------|-----------------------|--|--------------------------|--------------------------|---------------------------|--|
| CONREF-40 | 40 | 2.5 | 23 | 2.1 | 250 | 32 | 1420 | +/-1 at 1450 °C/ 2 hrs. | Wall of Reheating Furnace and Heat Treatment Furnace |
| CONREF-HGT | 36 | 2 | 24 | 2 | 300 | 31 | 1400 | +/-0.5 at 1450 °C/ 2 hrs. | For Glass Melting Furnace & Reheating Furnace |
| CONREF-BFA | 39 | 1.7 | 18 | 2.1 | 400 | 31.5 | 1450 | +/-0.2 at 1450 °C/ 2 hrs. | For Blast furnace stack lining |
| CONREF-42 D | 42 | 1.5 | 16 | 2.25 | 500 | 33 | 1460 | +/-0.5 at 1450 °C/ 2 hrs. | For Blast Furnace Hearth & Bosh lining |
| CONREF-42 | 42 | 1.7 | 18 | 2.2 | 350 | 33 | 1450 | +/-0.5 at 1450 °C/ 2 hrs. | Super Duty Bricks for Ferrous & Non Ferrous industries |
| CONREF-45 | 45 | 1.5 | 22 | 2.2 | 350 | 34 | 1450 | +/-0.5 at 1450 °C/ 2 hrs. | Blast Furnace/Hot Metal Ladle |
| CONREF-45D | 45 | 1.7 | 18 | 2.25 | 500 | 34 | 1480 | +/-0.5 at 1500 °C/ 2 hrs. | Lime Kiln/Glass Industries & Others |
| CONREF-50B | 50 | 2 | 23 | 2.3 | 350 | 34 | 1400 | +/-1.0 at 1450 °C/ 2 hrs. | Non Ferrous Industries |
| CONREF-SMT | 58-60 | 1.5 | 21 | 2.35 | 500 | 36 | 1520 | +/-0.5 at 1500 °C/ 2 hrs. | Glass & Frit Industries |
| CONREF-SMT62 | 62 | 1.2 | 21 | 2.4 | 500 | 36+ | 1550 | +/-0.5 at 1500 °C/ 2 hrs. | Glass & Frit Industries |
| CONREF-60B | 60 | 2.5 | 23 | 2.5 | 450 | 35 | 1420 | +/-2.0 at 1500 °C/ 2 hrs. | For steel Ladle & Reheating Furnace |
| CONREF-70B | 70 | 3.5 | 23 | 2.65 | 500 | 36 | 1450 | +/-3.0 at 1500 °C/ 2 hrs. | Ferrous & Non Ferrous Industries |


Our Product Line

Fire clay & High Alumina Bricks

| | | | | | | | | | |
|-------------|-------|-----|----|-----|-----|-------|------|---------------------------|--|
| CONREF-70D | 70 | 1.5 | 20 | 2.5 | 500 | 37 | 1550 | +/-0.5 at 1500 °C/ 2 hrs. | Resistance to abrasion Thermal Shock in Ferrous & Non Ferrous Industries |
| CONREF-MUL | 70-72 | 0.8 | 20 | 2.5 | 650 | 38 | 1650 | +/-2.0 at 1500 °C/ 2 hrs. | Mullite Bricks for Glass Industry Blast Furnace stove & Carbon Black Reactor |
| CONREF-80HP | 80 | 3 | 21 | 2.8 | 900 | 37-38 | 1500 | +/-2.0 at 1500 °C/ 2 hrs. | Reheating Furnace |
| CONREF-88 | 88 | 1.8 | 18 | 3.0 | 800 | 37 | 1590 | +/-0.5 at 1500 °C/ 2 hrs. | Hearth of reheating Furnace |
| CONREF-95 | 95 | 0.5 | 18 | 3.0 | 900 | 38 | 1630 | +/-0.5 at 1550 °C/ 2 hrs. | Fertilizer & Petrochemicals |

Note * The above data relate to pressed bricks only. These data are typical approximate guide value and not to be construed as binding specification.

*Size Tolerance : +/- 1% or +/- 2mm whichever is greater.



Our Product Line

REFRACTORIES FOR CEMENTS PLANTS

| Brand Name | AL ₂ O ₃ (%) (min.) | ZrO ₂ % | Fe ₂ O ₃ (%) (max.) | AP % (max.) | BD gm/CC (min.) | C.C.S. kg/cm ² (min) | P.C.E. (OC) (MIN.) | R.U.L. ta° C (min) | PLC (%) | Area of Application |
|---------------|---|--------------------|---|-------------|-----------------|----------------------------------|--------------------|--------------------|------------------------|---|
| CONREF-HG4030 | 40 | - | 3 | 22 | 2.2 | 400 | 32 | - | - | Preheater lower Cyclone, Cooler Wall |
| CONREF-HG45 | 45 | - | 1.5 | 19 | 2.25 | 450 | 34 | 1470 | +/-0.5 1400 °C/2 hrs. | At Precalculator |
| CONREF-HA5030 | 50 | - | 3 | 23 | 2.35 | 400 | 33 | - | - | Firing Hood |
| CONREF-HA60B | 60 | - | 2.5 | 22 | 2.4 | 400 | 35 | 1450 | +2.5 at 1500 °C/2hrs. | Safety Zone of Rotary Kiln |
| CONREF-LF7030 | 70 | - | 3 | 23 | 2.6 | 550 | 36 | 1450 | +3.0 at 1500 °C/2 hrs. | Upper transition Zone of Rotary Kiln where no Alkali attack |
| CONREF-LF7020 | 70 | - | 2 | 18 | 2.65 | 600 | 38 | 1480 | +3.0 at 1500 °C/2 hrs. | Upper Transition zone of Rotary Kiln where Alkali attack exists |
| CONREF-LF7520 | 75 | - | 2 | 22 | 2.65 | 550 | 38 | 1500 | +1.5 at 1500 °C/2 hrs. | Precalculator Roof |
| CONREF-AZR | 70 | 8-10 | 2 | 22 | 2.85 | 600 | 36 | 1600 | +2.0 at 1500 °C/2 hrs. | Cooling Zone of Rotary kiln |
| CONREF-AZRHP | 70 | 10 | 2 | 21 | 2.9 | 700 | 36 | 1600 | +2.0 at 1500 °C/2 hrs. | Upper Transition Zone of Rotary kiln |

Note* The above data relate to pressed bricks only. These data are typical approximate guide value and not be construed as binding specification.

***Size Tolerance:** +/-1% or +/- 2 mm whichever is greater.



Our Product Line

LIGHT WEIGHT INSULATION

| Brand Name | Al ₂ O ₃ % (min.) | Fe ₂ O ₃ % (max.) | A.P. % (max.) | B.D. gm/cc (min.) | C.C.S. kg/cm ² (min.) | P.L.C. % | Thermal Conductivity Max. in Kcal/mh °C | Service Temp. Max. °C |
|------------------------------|--|--|------------------|----------------------|--|--------------------------------|--|--------------------------|
| CONREF - HFK45 | 40-45 | 1.5 | 58 | 1.0 - 1.1 | 30 | +/- 1.5 at 1350ñC/2 hrs. | 0.30 at 600ñC | 1400 |
| CONREF- POROSINT- 750 | 55 | 1.0 | 60 | 0.85 | 40 | +/- 1 at 1400ñC/5 hrs. | 0.25 at 600ñC | 1400 |
| CONREF- POROSINT- 1550 | 60 | 1.0 | 55 | 1.1 | 40 | +/- 0.8 at 1450ñC/6 hrs. | 0.30 at 600ñC | 1550 |
| CONREF- POROSINT- 1650 | 70 | 0.8 | 55 | 1.2 | 40 | +/- 0.5 at 1450ñC/6 hrs. | 0.40 at 800ñC | 1650 |
| CONREF- POROSINT- 1750 | 72 | 0.5 | 58 | 1.3 | 50 | +/- 0.8 at 1450ñC/6 hrs. | 0.50 at 1000ñC | 1750 |
| CONREF- POROSINT- 1850 | 98 | 0.2 | 58 | 1.45 | 60 | +/- 0.8 at 1450ñC/6 hrs. | 1.10 at 1000ñC | 1850 |
| CONREF - HDI | 40-45 | 1.5 | 45 | 1.6 | 150 | +/- 1.0 at 1350ñC/2 hrs. | 0.60 at 600ñC | 1300 |

ZIRCON/ ZIRCON MULLITE BRICKS

| Brand Name | ZrO ₂ % | Al ₂ O ₃ % (min.) | Fe ₂ O ₃ % (max.) | A.P. % (max.) | B.D. gm/cc (min.) | C.C.S. kg/cm ² (min.) | P.L.C. (OC) (min.) | R.U.L. ta °C (min.) | P.L.C. % | Area of Application |
|-------------|--------------------|--|--|------------------|----------------------|-------------------------------------|-----------------------|------------------------|----------|--|
| CONREF - ZM | 18 | 68.0 | - | 21 | 3.1 | 500 | - | 1650 | - | For Bottom Paving & other location of Glass Tank Furnace |
| CONREF - ZR | 62 | - | - | 20 | 3.3 | 500 | - | 1600 | - | For Bottom Paving & other location of Glass Tank Furnace |

Note: * The above data relate to pressed bricks only. These data are typical approximate guide value and not be construed as binding specification.

* Size Tolerance : +/- 1% or +/- 2 mm which ever is greater.

Our Product Line

INSULATION CASTABLE

| BRAND NAME | AL ₂ O ₃ (%) (min) | Fe ₂ O ₃ (%) (max) | Service Temperature °C | Grain Size mm (Max) | BD(gm/cm ²) After drying at 100 °C for 24 Hrs. | C.C.S. (kg/cm ²) At 110 °C (Min.) | Refractoriness °C (min) | PLC (%) Max. |
|--------------------|--|--|------------------------|---------------------|--|--|-------------------------|---|
| CONREF Insulyte-7 | - | 8.5 | 1100 | 0-6 | 0.85 | 12 at 110 °C 4 at 800 °C 6 at 1100 °C | 1337 | +/- 1.2 at 1100 °C/ 3hrs. |
| CONREF Insulyte-11 | - | 3.5 | 1300 | 0-6 | 1.25 | 35 at 110 °C 25 at 800 °C 25 at 1100 °C 40 at 1300 °C | 1398 | +/- 0.20 at 1100 °C/ 3hrs. |
| CONREF Insulyte-13 | - | 3.5 | 1350 | 0-6 | 1.45 | 50 at 110 °C 30 at 800 °C 30 at 1100 °C 50 at 1300 °C | 1398 | +/- 0.20 at 1100 °C/ 3hrs. |
| CONREF HT Insulyte | - | 1.5 | 1500 | 0-6 | 1.55 | 80 at 110 °C 40 at 800 °C 40 at 1100 °C 50 at 1300 °C | 1605 | +/- 0.50 at 1100 °C/ 3hrs. +/- 1.5 at 1300 °C/ 3hrs. |
| CONREF LITE CAT-30 | 28-30 | - | 1000 | 0-4 | 0.75 | 10 at 110 °C | - | +/- 1.2 at 1100 °C/ 3hrs. |
| CONREF LITE-35 | 32-35 | - | 1300 | 0-4 | 1.50 | 25 at 110 °C | 1605 | +/- 1.2 at 1200 °C/ 3hrs. |

Packing: - 50 Kgs Bags, Storage life-9 months, Delivery State-Dry

Note

- (1) All tests carried out as per BIS 10570-1983.
- (2) Supply can be also made as per Customer requirement.

CONTINENTAL REFRACTORIES PVT. LTD.

71, Sector – C,
Industrial Estate
Sanwer Road
Email – conref@sify.com
Web – www.continentalrefractories.in

CONREF

Our Product Line

LOW CEMENT CASTABLE

| BRAND NAME | AL ₂ O ₃ (%) (min) | Fe ₂ O ₃ (%) (max) | P.C. E. (°C/OC) min | Grain Size mm | BD(gm/cm) (Min) after drying | C.C.S. (KG/Cm ²) At 110°C/2 Hrs. | C.C.S. (KG/Cm ²) At 800°C/2 Hrs. | C.C.S. (KG/Cm ²) At 1400°C/2 Hrs. | P.L.C (%) At 1400°C/3 Hrs. | Water required For Casting | Service temp. Max. °C |
|------------------|--|--|---------------------|---------------|------------------------------|--|--|---|----------------------------|----------------------------|-----------------------|
| CONREF LC-45 | 45 | 1.0 | 32 | 0-5 | 2.3 | 700 | 800 | 1000 | +/- 0.6 | 4.5-5.5 | 1550 |
| CONREF LC-60 | 60 | 1.0 | 36 | 0-5 | 2.6 | 800 | 800 | 1000 | +/- 0.8 | 4.5-5.5 | 1600 |
| CONREF LC-70 | 70 | 1.5 | 34 | 0-5 | 2.7 | 750 | 820 | 1050 | +/- 0.8 | 4.5-5.5 | 1750 |
| CONREF LC-80 | 80 | 2.0 | 37 | 0-5 | 2.8 | 800 | 950 | 1100 | +/- 0.8 | 4.5-5.5 | 1700 |
| CONREF LC-90 | 90 | 1.0 | 37 | 0-5 | 3.0 | 950 | 1000 | 1150 | +/- 0.8 | 4.5-5.5 | 1750 |
| CONREF LC ZIRMUL | 55 | Zr 02-18 | - | 0-5 | - | 800 | 1100 | 1100 | +/- 0.5 | 4.5-5.5 | 1550 |

Note: * 95% minimum will pass through maximum grain size indicated.

*These data are typical approximate guide value and not be construed as binding specification.



CONTINENTAL REFRACTORIES PVT. LTD.

71, Sector – C,
Industrial Estate
Sanwer Road
Email – conref@sify.com
Web – www.continentalrefractories.in

CONREF

Our Product Line

CONVENTIONAL CASTABLE

| Brand Name | Al ₂ O ₃ (%) (min.) | Fe ₂ O ₃ (%) (Max.) | P.C.E. (°C OC) (MIN.) | Grain Size (mm) | BD(gm/cm) (Min) after drying | C.C.S. (KG/Cm2) At 110 °C/24 Hrs. | C.C.S. (KG/Cm2) At Service Temp./ 2 hrs. | Service temp. Max. °C |
|-------------------|---|---|-----------------------|-----------------|------------------------------|-----------------------------------|--|-----------------------|
| CONREF CAST-N | 45 | 3 | 1450 | 0-5 | 2.0-2.2 | 250 | 300 | 1350 |
| CONREF CAST SUPER | 70 | 5 | 1680 | 0-5 | 2.30 | 250 | 350 | 1450 |
| CONREF CAST SPL | 45 | 4 | 1580 | 0-5 | 2.00 | 210 | 240 | 1400 |
| CONREF CAST-C | 50 | 2 | 31 | 0-5 | 2.10 | 200 | 350 | 1500 |
| CONREF CAST-K | 60 | 2.5 | 32 | 0-5 | 2.20 | 250 | 400 | 1600 |
| CONREF CAST-A | 90 | 0.8 | 35 | 0-5 | 2.75 | 500 | 600 | 1750 |

Note: * 95% minimum will pass through maximum grain size indicated.
*These data are typical approximate guide value and not be construed as binding specification.



Our Product Line

FIRE CLAY & HIGH ALUMINA MORTARS

| Brand Name | AL ₂ O ₃ (%) (min.) | Fe ₂ O ₃ (%) (max.) | P.C.E. (°C OC) (MIN.) | Grain Size (mm) | Setting | Area of Application |
|---------------|---|---|-----------------------------|-----------------------|----------------------|--|
| CONREF-40 | 40 | 2 | 32-33 | 0-0.5 | Ceramic | For laying 40% alumina Bricks |
| CONREF-M-5 | 50 | 2 | 33-34 | 0-0.5 | Air Setting | For laying 50% alumina Bricks |
| CONREF-M-SMT | 58-60 | 1.5 | 35 | 0-0.5 | Ceramic | For laying sillimanite Bricks |
| CONREF-M-6B | 60 | 3 | 34 | 0-0.5 | Ceramic | For laying 60% alumina Bauxite Base Bricks |
| CONREF-M-7B | 70 | 3.5 | 35 | 0-0.5 | Ceramic | For laying 70% Alumina Bauxite Base Bricks |
| CONREF-CONTEX | 50 | 2 | 34 | Liquid | Ceramic/ Chemical | Liquid Mortar for laying |
| CONREF-M-MUL | 70 | 0.8 | 38 | 0-0.5 | Ceramic | For laying mullite Bricks |
| CONREF-M-ZM | 60 | ZrO ₂ 12 | 36 | 0-0.5 | Ceramic | For laying Zircon Mullite Bricks |

Note: * 95% minimum will pass through maximum grain size indicated.

*These data are typical approximate guide value and not be construed as binding specification



Our Product Line

BASIC MORTARS

| Brand Name | MgO(%) (min.) | Cr2O3 % (min.) | SiO2 % (max) | Setting | Grain size | Sintering Temperature (°C) | Area of Application |
|--------------|------------------|-------------------|-----------------|---------|---------------|----------------------------------|---------------------------------|
| CONREF-MCM | 40 | 25 | - | Ceramic | (0-0.5) | 1600 | CHM Bricks Lying |
| CONREF-MGM | 85 | - | 8 | Ceramic | (0-0.5) | 1650 | MGT Bricks Lying |
| CONREF-M-SPL | 90 | - | 2 | Ceramic | (0-0.5) | 1650 | High Purity MGT Bricks Lying |


Note: *95% minimum will pass through maximum grain size indicated.

*These data are typical approximate guide value and not be construed as binding specification.

BASIC BRICKS

| Brand Name | MgO% (min.) | Cr2O3 % (min.) | SiO2% (max.) | Fe2O3% Typical | A.P.% (max.) | C.C.S. kg/cm2 (min.) | R.U.L. ta° C (min.) | Area of Application |
|---------------------|----------------|----------------------|-----------------|-------------------|-----------------|----------------------------|---------------------------|---|
| CONREF - MGT | 85 | - | 6.5 | - | 22 | 350 | 1600 | Lime Shaft Kiln |
| CONREF - MGT (L) | 87 | - | 6.5 | - | 22 | 350 | 1550 | EAF, LD & Ladle back up |
| CONREF - MGT (H) | 96 | - | 1 | 0.5 | 17 | 500 | 1700 | Glass Tank Regenerator & Chemical Industries |
| CONREF - MCH | 63 | 11 | 6.3 | - | 22 | 300 | 1600 | Open hearth roof / Reheating Furnace |
| CONREF - MCH (L) | 74 | 6.5 | 6 | - | 23 | 250 | 1600 | Lime Shaft Kiln |

ISO Certification



DNV BUSINESS ASSURANCE MANAGEMENT SYSTEM CERTIFICATE

Certificate No. 6616-2007-AQ-IND-RvA Rev. 02

This is to certify that

CONTINENTAL REFRACTORIES PVT. LTD.

at

71, Sector C, Sanwer Road, Industrial Estate, Indore - 452 015, Madhya Pradesh, INDIA

has been found to conform to the Quality Management System Standard:

ISO 9001:2008

This certificate is valid for the following scope:

MANUFACTURING AND SUPPLY OF REFRACTORIES

Initial Certification date:
09 August 2007

This Certificate is valid until:
08 August 2016

The audit has been performed under the supervision of:

Soumya Chatterjee
Lead Auditor



Place and date of issue:
Chennai, 13 August 2013

for the Accredited Unit:
DET NORSKE VERITAS CERTIFICATION B.V.,
THE NETHERLANDS

Bhupalam Ajit
Management Representative

Lack of fulfilment of conditions as set out in the Certification Agreement & the annexure to this certificate may render this Certificate invalid.

Crisil Certification



NSIC-CRISIL Performance and Credit Rating for Small Scale Industries

Continental Refractories Private Limited, Madhya Pradesh
has been awarded an NSIC-CRISIL Rating of

NSIC - CRISIL
SE 2B

on October 14, 2013.

This rating indicates 'High Performance Capability and Moderate Financial Strength'.

This rating is valid till October 13, 2014.

A handwritten signature in black ink, appearing to read 'Roopa Kudva'.

Roopa Kudva
Managing Director and Chief Executive Officer



Awards, Appraisals & Acknowledgements

DurgBHILAI . 5 .

Steel Melting Shop-I achieves milestone of 40 Ladle Heats

■ In addition, the technical guidance given by the officials of Refractory Engineering Department and Steel Melting Shop at proper intervals also proved beneficial

■ **Staff Reporter**
BHILAI, May 15

STEEL Melting Shop-I (SMS-I) of Bhilai Steel Plant (BSP) recently achieved a milestone of 40 Ladle Heats using the highly acclaimed Alumina ladle bricks of Continental Refractory Private Limited (CONREF), Indore.

As against the production guarantee of 30 ladle heats at the SMS

using CONREF bricks, SMS-I produced a record 40 ladle heats. This achievement could be attributed to high quality pre raw materials used and disciplined performance during production process.

In addition, the technical guidance given by the officials of Refractory Engineering Department and Steel Melting Shop at proper intervals also proved beneficial.

This achievement was also the result of assistance through discussions done with the Directors of CONREF.

CONREF supplies around 80 percent of the high alumina ladle bricks to the plant.

The plant management also prefers CONREF bricks because of their repute in quality control and timely delivery of the stock.

Awards, Appraisals & Acknowledgements

स्टील अथॉरिटी ऑफ इण्डिया लिमिटेड
(भारत सरकार का उपक्रम)
भिलाई इस्पात संयंत्र
भिलाई 490 001 (छत्तीसगढ़)
e-mail : sailbsp@sancharnet.in



Steel Authority of India Limited
(A Govt. of India Enterprise)
BHILAI STEEL PLANT
BHILAI - 490 001 (Chhattisgarh)
फैक्स / FAX : 0788-2222890, 2223491

TO WHOM SO EVER IT MAY CONCERN

WE ARE PLEASED TO INFORM THAT M/S CONTINENTAL REFRACTORIES PVT. LTD. INDORE IS REPUTED SUPPLIER TO BHILAI STEEL PLANT FOR THE LAST TWO YEARS. THE QUALITY AND DELIVERY IS OUTSTANDING.

WE ARE USING FOLLOWING PRODUCTS SUPPLIED BY M/S CONTINENTAL REFRACTORIES PVT. LTD. i.e. FIRE BRICKS, BLAST FURNACE BRICKS, LADLE BRICKS (UPTO 80% AL₂O₃) AND LOW CEMENT CASTABLES (UPTO 70% AL₂O₃). THE PERFORMANCE OF ALL THESE PRODUCTS ARE QUITE SATISFACTORY AT DIFFERENT APPLICATIONS.

AFTER SALES AND SERVICES OF M/S CONTINENTAL REFRACTORIES PVT. LTD. IS ALSO EXCELLENT.

THIS HAS BEEN ISSUED AT THE REQUEST OF M/S CONTINENTAL REFRACTORIES PVT. LTD. TO EXPAND THEIR BUSINESS OPERATIONS.

WE WISH THEM ALL SUCCESS.

27/06/23 206
(R.P. KHANNA)
DGM (REFRACTORY)
BHILAI STEEL PLANT
आर. पी. खन्ना
उप महा प्रबंधक (रिफ्रे)
भिलाई इस्पात संयंत्र

आप हमारे साथ हिन्दी में भी पत्र व्यवहार कर सकते हैं।
पंजीकृत कार्यालय : इस्पात भवन, लोधी रोड, नई दिल्ली - 110 003 Regd. Office : Ispat Bhawan, Lodhi Road, New Delhi - 110 003

Awards, Appraisals & Acknowledgements



GRAPHITE INDIA LIMITED

88, MIDC INDUSTRIAL AREA, SATPUR, NASHIK 422 007
PHONE : (0253) 2203300 - 328. FAX : (0253) 2350676
E-MAIL : satpur@graphiteindia.com

TO WHOM SO EVER IT MAY CONCERN

We are pleased to inform that M/s. Continental Refractories Pvt. Ltd., Indore is reputed supplier to M/s. Graphite India Ltd. for the last one decade. The quality and delivery is outstanding.

We are using various quality of Bricks like A-35, A40, A40K, S50, 42-45% Al₂O₃ Bricks, Mullite Bricks along with Insulation / Semi Insulation Bricks, Mortars & Castables 45 to 70% Al₂O₃ in the various Plant i.e. **RH Furnace, Recirculating Baking Furnace, Specialty Baking Furnace & Graphatised Section.** The Performance of all these products are quite satisfactory at the above entire application area.

After sales and services of M/s. Continental Refractories Pvt. Ltd. Indore are also excellent.

WE WISH THEM ALL SUCCESS

(D. R. RATNAPARKHI)
Dept. Head (Purchase & Stores)
GRAPHITE INDIA LTD.



REGD. & H. O. : 31, CHOWRINGHEE ROAD, KOLKATA-700 016.

Awards, Appraisals & Acknowledgements

Ref No.: GIL / MMD/ VR /2100232

Dec 15th, 2009

M/s CONTINENTAL REFRACTORIES
71, SECTOR C INDUSTRIAL ESTATE,
INDORE-Madhya Pradesh-452015

E Mail: conref@satyam.net.in

Phone/ Mobile : 07312722670 2...09826049027 0... Fax: 7312720183

Contact Person: Yam Thapa

"CONGRATULATIONS"

Dear Sirs,

We would like to share our Business expectations / achievements with our all Business Partners and have your views / suggestions for further strengthening our relationship.

Aditya Birla Group is a US \$28 billion corporation, in the League of Fortune 500, anchored by 100,000 employees in 25 nationalities. Globally, Aditya Birla Group is No. 1 in Viscose Staple Fibre. Grasim-Nagda is the state-of-the-art VSF manufacturing facility since 1954 having a capacity of 450 TPD. Also, it is an ISO 9001, 14001 OHSAS & SA 8000 certified company. Additionally, Engineering division is an ASME U Stamp authorised unit. "World Class Manufacturing" has become a culture in Aditya Birla Group.

Beyond business, we are working in 55 villages, for one lac people, focusing on health care, education, sustainable livelihood, infrastructure and espousing social cause running 16 Schools and 3 Hospitals.

We take this opportunity to share your performance and seek feedback.:

1. Your performance is our strength. We are pleased to inform you that based on the transactions we had with you, your rating for the FY 2008-09 is as under :-

| Period | Delivery Score | Quality Score | Total Score | Performance Rating |
|---------|----------------|---------------|-------------|--------------------|
| 2008-09 | 60 | 38 | 98 | A Excellent |

Our Heartiest Congratulations for achieving "A" Grade vendor rating. We expect you to continue this trend and become one of the Most Potential Vendor of our Grasim- Nagda Group

2. As we are an SA 8000 certified unit, it is mandatory for us & our vendors to comply with SA8000 requirements and maintain record of Human Resources deployed at our vendors. Accordingly we are sending here with a Questionnaire named Vendor Evaluation Form and request you to return the same duly filled-up and signed latest by 15.01.2010.
3. Your view / suggestions always give us energy to drive towards golden tomorrow. We are enclosing herewith our "Vendor Satisfaction Survey - 2009" format also with anticipation that you will return the same latest by 15.01.2010
4. Also, Please check your contact & other commercial details. In case you observe any discrepancy, please immediately inform us for necessary correction in our database at email id- quotation@adityabirla.com.

Thanking you,

Yours faithfully,

For, Grasim Industries Ltd.,

orp
Anil Kumar Gupta
General Manager – Materials

| | |
|------------------------|--------------------------------|
| Permanent Account No | : AAACC7056K |
| Local Sales Tax No | : 0111/VII/747/8/S DTD.15/7/97 |
| Central Sales Tax No | : 0111/VII/672/C DTD.15.07.97 |
| TIN No | : (Please inform) |
| ECC Number | : AAACC7056KXM001 |
| Excise Range | : II, INDORE |
| Excise Division | : 1, INDORE |
| Excise Commissionerate | : INDORE |

GRASIM INDUSTRIES LIMITED

Materials Management Department, SFD, EDD, EFD, CSMC, Non Woven Division
Birlagram 456-331, Nagda (M.P.)

Phone: 07366-247160-66, Fax: 07366-244114, 247160 E Mail: quotation@adityabirla.com

Awards, Appraisals & Acknowledgements



CONTINENTAL REFRACTORIES PVT. LTD.

71, Sector - C,
Industrial Estate
Sanwer Road
Email - conref@sify.com
Web - www.continentalrefractories.in

CONREF

Vendor Registration

FROM : SAKTI XEROXBASANTY COLONY

FAX NO. : 06612420730

Oct. 24 2011 02:41AM P1

STEEL AUTHORITY OF INDIA LIMITED
ROURKELA STEEL PLANT, ROURKELA
MATERIALS MANAGEMENT - PIVD

Vendor Registration Certificate

REF.NO. MM/REGN/ 4593/15964/ 354. DATED : 19-MAY-11
M/s. CONTINENTAL REFRACTORIES PVT.LTD.
71, SECTOR-C, SANWER ROAD
INDUSTRIAL ESTATE
INDORE-452015

We have pleasure to register you as an approved vendor of RSP for the item(s) listed below :

| SL.NO | DESCRIPTION | PRODUCT CODE |
|-------|--------------------------------|--------------|
| 1 | BASIC INSULATING SPRAYING MASS | 057/001/12 |
| 2 | F/CLAY IS 6 QUALITY BRICKS | 057/002/01 |
| 3 | F/CLAY IS 8 QUALITY BRICKS | 057/002/02 |
| 4 | 80% H.A.BRICKS FOR LADLES | 057/004/05 |

| REGN. NO | VALIDITY | SUPPLIER CODE | STATUS OF FIRM | CATEGORY |
|-------------------|-----------|---------------|----------------|----------|
| MM/REGN/004593/MO | 15-MAY-16 | 66415/01 | SSI OTHERS | |

- Note :
- We may not necessarily send all our enquires for these category of items as and when we are in the market. This registration does not guarantee award of contracts.
 - We reserve the right to demand from you such sureties as may be necessary as an earnest of your fulfilling contracts / supply orders which we may award you.
 - We may eliminate your name from our panel without assigning any reason.
 - It may be your responsibility to apply for renewal of regn. on payment of stipulated renewal fee and production of requisite documents 90 days in advance before expiry of registration period to keep your name in the register of approved suppliers.
 - For Traders/Dealers the validity of the certificate is maximum for 3 Yrs, subject to submission of valid dealership certificate every year to PIVD section



[Signature]
19/5/11
HEAD OF DIVD

CONTINENTAL REFRACTORIES PVT. LTD.

71, Sector – C,
Industrial Estate
Sanwer Road
Email – conref@sify.com
Web – www.continentalrefractories.in

CONREF

Vendor Registration

| | | | | |
|--|---|--|--|--|
|  | मेकॉन लिमिटेड (भारत सरकार का संस्थान) MECON LIMITED (A GOVERNMENT OF INDIA ENTERPRISE) |  | | |
| प्रधान कार्यालय (Head Office) : राँची-2, झारखण्ड, भारत, Ranchi-2, Jharkhand, India, फोन / Phone : 0651-2483000, फैक्स / Fax : 0651-2482189/2482214 ई-मेल / E-mail : ranchi@meconlimited.co.in, वेबसाइट / Website : http://www.meconlimited.co.in | | | | |
| Ref.No.11.80.9181/Proc.Serv./39/C-105/V-4498 | | Date:21-JUN-11 | | |
| CONTINENTAL REFRACTORIES PVT LTD 71, Sector 'C', Industrial Estate, Sanwer Road INDORE 452015 Madhya Pradesh Tel.:0731 2720 183-5 2720 185 | | | | |
| Sub : Renewal of Vendor Registration with MECON | | | | |
| Ref : Your letter No. CR/ML/10-11/1254 dated 06-APR-11 | | | | |
| Dear Sirs, | | | | |
| Kindly refer to your above mentioned letter. We are pleased to inform you that your company is enlisted in our Approved Vendor List for the following, which is now valid till 01-MAY-14. | | | | |
| <u>REFRACTORY MATERIALS BF REFRACTORY MATERIALS</u> 1 LOW CEMENT CASTABLES & CONVENTIONAL CASTABLE (INCL. BF TR) 2 INSULATING BRICKS, MORTARS & INSULATING CASTABLES (Insulating Bricks & Mortars Only) | | | | |
| <u>REFRACTORY MATERIALS REFRACTORY FOR UNITS OTHER THAN CO & C, B.F. AND SMS</u> 1 FIRE CLAY & HIGH ALUMINA-GENERAL & SPECIAL QUALITY 2 FIRE CLAY MORTAR 3 BASIC REFRACTORY - GENERAL & SPECIAL QUALITY | | | | |
| Please note that this enlistment is subject to satisfactory execution of orders in delivery and quality of above mentioned items when ordered for various projects. | | | | |
| Further it may please be noted that any change in the product, location of works/ sales office, Management/ Organisation structure etc. shall be intimated to us promptly along with relevant document for our necessary action, failing which our enquiries may not reach you and also your enlistment with us will be liable to be cancelled. Kindly keep sending your annual report every year. Your performance shall be periodically reviewed by us for continuation of your enlistment with MECON. | | | | |
| The above enlistment does not necessarily confirm issue of tender enquiries, which is at the sole discretion of MECON/MECON's client. It is your responsibility to apply for renewal of your registration at least 2 months in advance of expiry of this validity period. | | | | |
| Encl: Bank Receipt | | | | |
| Thanking you. | | | | |
| Yours faithfully For MECON LIMITED | | | | |
| (S.B.P Singh) DGM(Procurement Services) email: cvdcranchi@meconlimited.co.in Fax:0651-248 2189 Tel:0651-248 3063 | | | | |
| Major Offices: | | | | |
| नई दिल्ली/New Delhi +91-11-2204 1201(PHONE) +91-11-2204 1214(FAX) delhi@meconlimited.co.in | मुम्बई/Mumbai +91-22-2781 2155-58(PHONE) +91-22-2781 2275(FAX) mumbai@meconlimited.co.in | कोलकाता/Kolkata +91-33-2282 2381-82(PHONE) +91-33-2282 4441(FAX) kolkata@meconlimited.co.in | चेन्नई/Chennai +91-44-2626 1911(PHONE) +91-44-2626 1474(FAX) chennai@meconlimited.co.in | बैंगलूर/Bangalore +91-80-2657 1661-63(PHONE) +91-80-2657 6352(FAX) bangalore@meconlimited.co.in |

CONTINENTAL REFRACTORIES PVT. LTD.

71, Sector – C,
Industrial Estate
Sanwer Road
Email – conref@sify.com
Web – www.continentalrefractories.in

CONREF

Vendor Registration

GC/PUR/VE/12-13
Date: 14.05.2013



Vendor Code :400292
CONTINENTAL REFRACTORIES PVT LTD
71, SECTOR -C, SANWER ROAD,
INDUSTRIAL ESTATE,
INDORE - 458003
INDIA
Phone :2722670/ 2720184
Fax :0731-2720183
Email :conref@satyam.net.in

Sub: Vendor Performance Appraisal From 01.04.2012 to 31.03.2013

Dear Sir(s),

In connection to our efforts to keep our regular vendors informed about their performance and to highlight such area where improvement is needed, we are intimating you about your performance as vendor for above said period.

| Period | Category | Overall Rating | Area for Improvement / Suggestions |
|--------------------------|----------|----------------|------------------------------------|
| 01.04.2012 to 31.03.2013 | A | 100.00 | Very Good performance. Keep it up. |

Please find enclosed out detailed work sheet for the above said period.

Thanking You,

Yours faithfully
For (UNIT: RAWAN CEMENT WORKS)

(SANJAY MAHESHWARI)
MANAGER (PURCHASE)

M. Shinde

ULTRATECH CEMENT LIMITED
(UNIT: RAWAN CEMENT WORKS)
GRASIM VIHAR, VILLAGE RAWAN, CHHATTISGARH-493196, INDIA
TEL: 7726-288217 FAX: 7726-288215

Regd Off : Ahura Centre, B-Wing, 2nd Floor, Mahakali Caves Road, Andheri(east),
Mumbai-400 093

Certificate of Incorporation



प्रारूप आई० आर०
Form I. R.

निगमन का प्रमाण-पत्र Certificate Of Incorporation

ता. का सं.
No. 10-07631 of 19 93

मैं एतद् द्वारा प्रमाणित करता हूँ कि "कांन्टिनेन्टल रीफ्रेक्टरीज प्रायवेट लिमिटेड" कम्पनी अधिनियम, 1956 (1956 का 1) के अधीन निगमित की गई है और कम्पनी परिसीमित है ।

I hereby certify that CONTINENTAL REFRACTORIES
PRIVATE LIMITED.
is this day incorporated under the Companies Act, 1956 (No. 1 of 1956)
and that the Company is limited by shares.

मेरे हस्ताक्षर से आज तारीख पच्चीस चैत्र शक उन्नीस सौ पन्द्रह को दिया गया ।


Given under my hand at GWALIOR this FIFTEENTH
day of APRIL One thousand Nine hundred and NINETY THREE



(B.N. HARISH)
कम्पनियों का रजिस्ट्रार
Registrar of Companies
Madhya Pradesh, Gwalior

Factory License

GOVERNMENT OF MADHYA PRADESH



Original

Folio No.

6307

LICENCE TO WORK A FACTORY
(Form No. 3, prescribed under Rule 5 of M.P. Factories Rules 1962)

Licence No. 154/7073/IND/2011
(Mention this number invariably in all correspondences with this office)

Fees Rs 39,600/-

Challan No. 119

Date 22.11.12

Treasury S.O. Indore

प्रमाणित 368 दिनांक 28-2-13
उत्पत्ति शक्ति का कार्य

Licence is hereby granted to Shri Bhalla Mehta
occupier of Continental Refractories Pvt Ltd
located at 71, Sector - C, Indore Area Sanwer Road District Indore
(Subject to the provisions of the Factories Act, 1948 and the rules made there under and the conditions annexed here with)

Valid only for the premises at the above location (as per the plans approved under the Factories Act and Rules) for use as
a factory employing not more than 100
(in words one hundred) workers on any one day during the year and having
installed motive power not exceeding 250 Horse power (in words
Two hundred Fifty where the manufacturing process of Refractories
will be carried by him.

This licence shall remain in force till the 31st day of December, 20 13, 2014, 2015 26.2.13
(2013 to 2015)

Indore
Dated, the 21.11.13

Chief Inspector of Factories
Madhya Pradesh, इन्दौर (म. प्र.)

(—This licence shall be framed and exhibited in the factory and shall be made available to the Factory Inspector on demand.)

1. Application for renewal of licence, in the prescribed form (Form No. 4 as incorporated in the M.P. Factories Rules, 1962) accompanied with the original challan for adequate fees, shall be made on or before the first day of December of the preceding year. For late submission of the application 25% of the scheduled licence fee should be paid in addition.

Note - For calculating the maximum number of workers to be employed on any day during the year, the total number of workers (in all the shifts) employed on that day and the workers employed through all agencies also included in this total, shall be taken.

2. All fees shall be deposited under the following head of account. "0230-Labour and Employment, 104 Receipts under the Factories Act." Care shall be taken to reproduce this head correctly on all challan forms and that the seal of the Treasury or the Bank is legibly affixed.

3. The fees for obtaining a duplicate copy or for affecting any amendment there in, is as prescribed in the Rules.

GRPI/607/7-3-12/DIH&S/Indore-200 Books

TIN - VAT**कार्यालय वाणिज्यिक कर आयुक्त, मध्यप्रदेश, इन्दौर**

मध्यप्रदेश शासन, वाणिज्यिक कर विभाग द्वारा अधिशासित विभिन्न अधिनियमों के तहत पंजीयत करदाताओं के वर्तमान पंजीयन प्रमाण पत्र क्रमांक को, 11 अंकों के नये करदाता पहचान क्रमांक (Tax Payer's Identification Number -TIN) में परिवर्तित किया जा रहा है। दिनांक 1.07.2003 के पश्चात विवरण पत्रों, कर राशि के चालानों, विक्रय बीजकों तथा अन्य दस्तावेजों में, यथास्थान, वर्तमान पंजीयन प्रमाण पत्र क्रमांक के स्थान पर, नये TIN का उल्लेख करना अनिवार्य है, क्योंकि उक्त दिनांक के पश्चात पुराना पंजीयन प्रमाण पत्र क्रमांक वैध नहीं माना जाएगा।

जावक क्र : 36174

वृत्त कार्यालय इंदौर-11 में पंजीयत

मेसर्स **कान्टीनेन्टल रिफ्रेक्टरीज प्रा.लि.****71 सी सावेर रोड इन्दौर**

के नये TIN का विवरण निम्नानुसार है -

| अधिनियम (Act) का नाम | आपका वर्तमान पंजीयन प्रमाण पत्र क्रमांक | आपका नया TIN |
|----------------------|---|--------------------|
| वाणिज्यिक कर | 011107478S | 23131100747 |

(यदि करदाता केन्द्रीय विक्रय कर अधिनियम के तहत पंजीयत है तो उनका केन्द्रीय पंजीयन प्रमाण पत्र क्रमांक भी उक्त दिनांक के पश्चात वही होगा, जो प्रांतीय अधिनियम के तहत उनको जारी नया TIN है।) यह सूचना पत्र आपके मूल पंजीयन प्रमाण पत्र के सह-पत्र के रूप में तैयार है, इसे मूल पंजीयन प्रमाण पत्र के साथ सुरक्षित रखें। इस सूचना पत्र की प्राप्ति दिनांक को यदि कोई पंजीयन प्रमाण पत्र निरस्त (Cancelled) है, तो उसकी वैधानिकता (Validity) में इस सूचना पत्र के कारण कोई परिवर्तन नहीं होगा।

(विश्वपति त्रिवेदी)

आयुक्त, वाणिज्यिक कर, मध्यप्रदेश

Processed at Aditi Computers, Ratlam. Tel : 07412-240003.

Excise Certificate

ecc_repx_allot_03012007_165545

Page 1 of 1

Form RC


Central Excise Registration Certificate

[Under Rule 9 of the Central Excise Rules, 2002]

This is to certify, subject to conditions specified below, that M/s **CONTINENTAL REFRACTORIES PVT LTD. A REGISTERED COMPANY** (Registrant and its constitutions) is registered for **MANUFACTURING OF EXCISABLE GOODS** (type of business) at **CONTINENTAL REFRACTORIES PVT. LTD., 71 SECTOR C, SANWER ROAD, INDUSTRIAL AREA, INDORE IND. EST, INDORE, MADHYA PRADESH, 452015** (address of the business premises) on the basis of the application received in this office on (date of receipt).

Registration Number is : **AAACC7056KXM001**

Date : 03/01/2007
Place : INDORE


उप आयुक्त
Deputy Commissioner
सीमा शुल्क केन्द्र, इन्दौर, मध्य प्रदेश
Customs & Central Excise Officer, Indore

Conditions

- (i) This Registration Certificate is valid for the premises and purposes specified in the application.
- (ii) Registration Certificate is not transferable.
- (iii) This Registration Certificate is not valid in case the constitution of the management of the firm undergoes change(s).
- (iv) No corrections/changes in the Registration Certificate will be valid unless the request for any correction/change is applied for and the same is acknowledged.
- (v) This Registration Certificate shall remain valid till the Registrant carries on the activity for which it has been issued or surrenders it or till it is revoked or suspended.
- (vi) The grant of this Registration Certificate shall be without prejudice to the rights of any other person(s) over the registered premises or purpose to which such person may be lawfully entitled.

http://164.100.17.29/servlets/ecc_repx_allot?p1=975

1/3/07

CST -VAT

कार्यालय वाणिज्यिक कर अधिकारी इन्दौर वृत्त..X/..

क्रमांक/वाक/पंजी/97

इन्दौर, दि.

सूचना

प्रति,

व्यवसायी मे.

गि/9731

वर्तमान पंजीयन क्र.

(वफ)

कांन्टिनेन्टल रेफ्रेक्टरीज प्रा. लि.

71, सेक्टर - C, सान्वर रोड

100/1X/1A/4835

- 1 - X4/4154

(प्रांतीय)

(केन्द्रीय)

विषय :- इन्दौर स्थित वृत्तों के पुनर्गठन के आधार पर पंजीयन क्रमांक में परिवर्तन

1 अप्रैल 1997 से इन्दौर स्थित वृत्तों के पुनर्गठन के परिणामस्वरूप आपका व्यवसाय स्थल इस वृत्त के क्षेत्राधिकारी के अन्तर्गत आ गया है। तदनुसार अब आपको निम्नानुसार नवीन पंजीयन क्रमांक आवंटित किया गया है :-

प्रांतीय पंजीयन क्रमांक

0111

VII

0747

8

S

केन्द्रीय पंजीयन क्रमांक

0111

VII

0672

C

(इन्दौर संभाग क्र. वृत्त क्र.) (वार्ड क्रमांक या तहसील)

(पंजीयन क्रमांक)

(चेक डिजिट)

नवीन पंजीयन क्रमांक दिनांक 15.7.97 से प्रभावशील होंगे। उक्त दिनांक से वर्तमान पंजीयन क्रमांक निष्प्रभावी समझे जावेंगे। यह सूचना-पत्र प्राप्त होने पर पंजीयन प्रमाण-पत्रों की प्रतियों सहित कार्यालय में उपस्थित होकर संशोधन करवाने का कष्ट करें। प्रथम त्रैमास अप्रैल-जून 97 का विवरण-पत्र उक्त नये पंजीयन क्रमांक अनुसार प्रस्तुत करें। कृपया सूचित होकर प्राप्ति अभिस्वीकृति प्रदान करने का कष्ट करें।

MAG

वाणिज्यिक कर अधिकारी



इन्दौर वृत्त.....

CONTINENTAL REFRACTORIES PVT. LTD.

71, Sector – C,
Industrial Estate
Sanwer Road
Email – conref@sify.com
Web – www.continentalrefractories.in

CONREF

PAN

| | | |
|--------------------|---|---|
| स्थायी लेखा संख्या | /PERMANENT ACCOUNT NUMBER |  |
| | AAACC7056K | |
| नाम | /NAME | |
| | CONTINENTAL REFRACTORIES PVT LTD | |
| निगमन/बनने की तिथि | /DATE OF INCORPORATION/FORMATION | |
| 15-04-1993 | | |
| |  | |
| | आयकर आयुक्त(कम्प्यूटर संचालन) | |
| | Commissioner of Income-tax(Computer Operations) | |